



# MASTER PRICE LIST

And Numerical Index

## Users' Prices

Price List No. 9PL-U

Effective October 1, 1959

**PERTAINING TO OTC CATALOGS: NO. P-9, "INDUSTRIAL MAINTENANCE EQUIPMENT"**  
(Standard pullers, hydraulic rams, pumps, shop presses and heavy duty wrenches)

**NO. H-9, "HAND TOOLS"**  
(Standard mechanics' hand tools, sockets, wrenches, punches, chisels, screwdrivers, etc.)

**NO. A-9, "CARS—TRUCKS—TRACTORS"**  
(Specialized tools & equipment for vehicles;  
Use this catalog as a supplement to No. P-9)

### GENERAL

This price list voids and supersedes all previously issued price lists.

The Owatonna Tool Company reserves the right to change prices without notice and to bill material at prices in effect at time of shipment.

User's Prices represent the maximum recommended resale prices.

### GUARANTEE

OTC tools and equipment are guaranteed against defects in materials and workmanship. They are built to meet the exacting standards and requirements of professional maintenance and production personnel. Every tool manufactured and sold by OTC found to be defective in either material or workmanship will be repaired or replaced. Any tool that has been abused, worn out, heated, ground or otherwise altered, or used for a purpose other than that for which it was intended, will not be covered by this guarantee. Final determination of defects must be made at our factory.

**NOTICE:** OTC reserves the right to make changes in design or construction of tools and equipment without obligation to incorporate such changes in tools and equipment previously sold.

### INSPECTION

All OTC tools and equipment are thoroughly inspected before leaving our plant and each customer is assured of receiving a new tool of equal quality and design as that furnished to everyone else.

Every tool must conform to rigid standards. There are no "seconds" in the OTC line.



## OWATONNA TOOL COMPANY

OWATONNA, MINNESOTA, U. S. A.

DISTRIBUTED BY



Tool No.	Users Price	Name of Cat. and page No.	Description	Tool No.	Users Price	Name of Cat. and page No.	Description	Tool No.	Users Price	Name of Cat. and page No.	Description
9-M	2.25		5/8"-18F x 1/4"-20M	P, 6	332	2.25	1" Skt. 3/4" Dr.	H, 5	557	1.95	3/4" Ford F-7, F-8 Tr.
10	1.40		Mgt. Ring Comp.	A, 33	334	2.25	1 1/8" Skt. 3/4" Dr.	H, 5			Hd. Bolt Wr.
11-M	2.25		5/8"-18F x 3/16"-18M	P, 6	336	2.30	1 1/8" Skt. 3/4" Dr.	H, 5	558	4.95	Mpls.-Moline
12-M	2.25		5/8"-18F x 7/16"-14M	P, 6	338	2.40	1 1/8" Skt. 3/4" Dr.	H, 5			Head Bolt Wr.
13-M	2.25		5/8"-18F x 3/8"-20M	P, 6	340	2.75	1 1/4" Skt. 3/4" Dr.	H, 5	559	5.50	AC Hd. Bolt Wr.
14-M	2.25		5/8"-18F x 3/8"-24M	P, 6	342	2.95	1 1/8" Skt. 3/4" Dr.	H, 5	560	5.50	AC Hd. Bolt Wr.
15-M	2.25		5/8"-18F x 3/8"-16M	P, 6	344	3.20	1 1/8" Skt. 3/4" Dr.	H, 5	577	1.50	Plymouth Start. Wr.
16-M	2.25		5/8"-18F x 1/2"-20M	P, 6	346	3.40	1 1/8" Skt. 3/4" Dr.	H, 5	581	3.10	Pont. Camber Wr.
17-M	2.25		5/8"-18F x 1/2"-13M	P, 6	348	3.60	1 1/2" Skt. 3/4" Dr.	H, 5	582-T	21.70	Caster-Camber
18-M	2.25		5/8"-18F x 1/2"-18M	P, 6	352	4.25	1 1/8" Skt. 3/4" Dr.	H, 5			Wr. Set
19-M	2.25		5/8"-18F x 3/4"-12M	P, 6	354	4.85	1 1/8" Skt. 3/4" Dr.	H, 5	614	4.95	Snap Ring Pliers
20-M	2.25		5/8"-18F x 3/8"-11M	P, 6	356	4.90	1 3/4" Skt. 3/4" Dr.	H, 5	615	5.95	Piston Ring Pliers
20-P	3.50		1"-14F x 3/8"-11M	P, 6	358	4.95	1 1/8" Skt. 3/4" Dr.	H, 5	616	2.50	Piston Ring Expdr.
21-P	3.50		1"-14F x 3/8"-18M	P, 6	360	5.25	1 1/8" Skt. 3/4" Dr.	H, 5	620	14.10	Snap Ring Set
24-M	2.25		5/8"-18F x 3/4"-16M	P, 6	364	6.25	2" Skt. 3/4" Dr.	H, 5	625-1	1.00	1 1/2" Shaft Prot.
24-P	3.50		1"-14F x 3/4"-16M	P, 6	368	7.30	2 1/8" Skt. 3/4" Dr.	H, 5	625-2	1.00	1 1/4" Shaft Prot.
25	3.40		OutBd. Motor Ring	P, 6	370	8.35	2 1/8" Skt. 3/4" Dr.	H, 5	625-3	.80	1" Shaft Prot.
			Comp. Set	A, 33	372	9.40	2 1/4" Skt. 3/4" Dr.	H, 5	625-4	.75	3/4" Shaft Prot.
25-M	2.25		5/8"-18F x 3/4"-10M	P, 6	376	10.45	2 3/8" Skt. 3/4" Dr.	H, 5	625-5	.65	5/8" Shaft Prot.
25-P	3.50		1"-14F x 3/4"-10M	P, 6	400	15.70	Trans. Bush. & Oil Seal Set	A, 27	625-6	.60	5/8" Shaft Prot.
28-M	2.25		5/8"-18F x 7/8"-14M	P, 6			Trans. Bush. & Oil Seal Set	A, 27	625-A	4.80	Set of Six
28-P	3.50		1"-14F x 7/8"-14M	P, 6	401	15.70	Rear Ax. Lk. Nut Wr.	A, 28	627	1.05	Gib Key Puller
29-M	2.25		5/8"-18F x 7/8"-9M	P, 6			Rear Ax. Lk. Nut Wr.	A, 28	630-0	.80	1/8" x 5/8" Plate
29-P	3.50		1"-14F x 7/8"-9M	P, 6	404	4.15	Rear Ax. Lk. Nut Wr.	A, 28	630-1	.80	1" x 3/4" Plate
32-M	2.25		5/8"-18F x 1"-14M	P, 6			Rear Ax. Lk. Nut Wr.	A, 28	630-2	.80	1 1/8" x 1/8" Plate
32-N	3.50		1"-8F x 1 1/4"-12M	P, 6	404-A	8.50	Rear Ax. Lk. Nut Wr.	A, 28	630-3	.80	1 1/4" x 1" Plate
32-P	3.50		1"-14F x 1"-8M	P, 6	405	8.30	Rear Ax. Lk. Nut Wr.	A, 28	630-4	.90	1 3/8" x 1 1/8" Plate
32-R	3.50		1"-8F x 3/8"-18M	P, 6	406	6.50	Rear Ax. Lk. Nut Wr.	A, 28	630-5	1.00	1 1/8" x 1 1/4" Plate
32-S	3.50		1"-8F x 1"-14M	P, 6	406-D	11.90	Rear Ax. Lk. Nut Wr.	A, 28	630-6	1.10	1 3/4" x 1 1/8" Plate
32-T	3.50		1"-8F x 1 1/8"-5 1/2M	P, 6	407	12.50	Rear Ax. Lk. Nut Wr.	A, 28	630-7	1.50	1 3/8" x 1 1/2" Plate
36-M	3.50		5/8"-18F x 1 1/8"-12M	P, 6	408	10.50	3 1/2" Hex Socket	—	630-8	1.60	2" x 1 1/8" Plate
37-M	3.50		5/8"-18F x 1 1/8"-Pipe M	P, 6	408-A	12.90	Rear Ax. Lk. Nut Wr.	A, 28	630-9	1.80	2 1/8" x 1 1/4" Plate
39-M	3.50		5/8"-18F x 1 1/4"-Pipe M	P, 6	409	9.90	Rear Ax. Lk. Nut Wr.	A, 28	630-10	2.00	2 3/8" x 1 1/8" Plate
39-P	3.50		1"-14F x 1 1/4"-12M	P, 6	409-B	14.50	Rear Ax. Lk. Nut Wr.	A, 28	630-11	2.50	2 1/2" x 2" Plate
40-R	6.90		1 1/4"-12F x 1"-14M	P, 6	410-A	15.50	Rear Ax. Lk. Nut Wr.	A, 28	630-12	3.00	2 3/8" x 2 1/8" Plate
40-V	6.90		1 1/4"-12F x 1 1/4"-12M	P, 6	413	4.95	Ford Valve Spg. Cp.	A, 24	630-13	3.25	2 3/4" x 2 1/4" Plate
41-A	6.90		1/2"-20F x 1 1/4"-7M	P, 6	414	3.25	Valve Guide Lk. Pir.	A, 24	630-14	3.75	2 3/8" x 2 3/8" Plate
41-B	6.90		1 1/4"-7F x 3/8"-18M	P, 6	419	2.10	Ford-Merc. Dist. Wr.	A, 25	630-15	3.95	3" x 2 1/2" Plate
41-C	6.90		1 1/4"-7F x 3/4"-10M	P, 6	420	1.50	Head Bolt Wr.	A, 26	630-16	4.25	3 1/4" x 2 3/4" Plate
41-D	6.90		1 1/4"-7F x 7/8"-14M	P, 6			Head Bolt Wr.	A, 26	630-17	4.50	3 1/2" x 3" Plate
41-G	6.90		1 1/4"-7F x 1 1/8"-12M	P, 6	421	1.50	Ford-Merc.	—	630-R	29.70	Set of Twelve
41-H	6.90		1 1/4"-7F x 1 1/4"-12M	P, 6			Head Bolt Wr.	A, 26	630-S	14.80	Set of Eleven
41-M	3.50		5/8"-18F x 3/8" Pipe M	P, 6	432	2.05	Ford Caster Wrench	A, 23	630-T	22.70	Set of Six
41-N	6.90		1 1/4"-7F x 1 1/2"-12M	P, 6	433	3.10	Ford Camber Wrench	A, 23	640	6.95	Ring Groove Cleaner
41-P	6.90		1"-14F x 1 1/4"-7M	P, 6	434	2.25	Generator Wrench	A, 25	640-C	.30	Cutter Only for 640
41-R	6.90		1 1/4"-7F x 1"-14M	P, 6	460	2.10	Ford Feeler Gauge	H, 14	650	6.50	1 1/8" Ball Jt. Socket
41-S	6.90		1 1/4"-7F x 1"-8M	P, 6	461-A	2.05	1954 Ford Gauge	H, 14	651	6.95	2 1/8" Ball Jt. Socket
43-M	3.50		5/8"-18F x 1/2" Pipe M	P, 6	462	3.95	Shock Lk. Separator	A, 23	652	3.50	Caster-Camber Wr.
52-R	7.50		1 1/8"-5 1/2F x 1"-8M	P, 6	500	5.95	Dist. & Carb. Adj. Tl.	A, 25			(Ford)
52-S	7.50		1 1/8"-5 1/2F x 1"-14M	P, 6	500-D6	35.70	Sales Dspy. 6 ea. 500	—	653	3.50	Caster-Camber Wr.
52-T	7.50		1 1/8"-5 1/2F x 7/8"-9M	P, 6	501	8.35	Hyd. Valve Lifter	—			(Merc.)
52-U	7.50		1 1/8"-5 1/2F x 3/4"-10M	P, 6			Puller Set	A, 24	654	3.50	Caster-Camber Wr.
100-B	297.66		Master Tool Set	H, 7	502	.80	Chrysler Dr. Hdl. Wr.	—			(Lincoln)
102-B	171.47		Super Tool Set	H, 7	503	1.50	Buick Hd. Bolt Wr.	A, 26	655	3.50	Caster-Camber Wr.
103-B	90.29		Starter Tool Set	H, 7	505	2.10	Dist. Nut Wrench	A, 25			(Rambler)
105	73.00		Master totter	—	506	2.10	Dist. Nut Wrench	A, 25	656	3.95	Manifold Wr.
107	47.25		Deluxe Tool Chest	—	508	2.10	Dist. Nut Wrench	A, 25			(Ford-Merc.)
107-A	3.10		Tote Tray	—	509	2.10	Dist. Nut Wrench	A, 25	657	3.50	Brake Bleeder Wr.
112	.90		3/8" Skt. 1/2" Dr.	H, 5	511	2.10	Starter Wrench	A, 29			(Olds.)
114	.90		7/16" Skt. 1/2" Dr.	H, 5	514	2.05	Chrys.-DeSoto Br. Wr.	—	679	8.90	Pulling Attach.
116	.90		1/2" Skt. 1/2" Dr.	H, 5	514-A	2.95	Brake Adj. Wrench	A, 29	680	26.50	Pulling Attach.
118	.90		7/16" Skt. 1/2" Dr.	H, 5	515	6.90	Plr. W/13 3/4" Sc. A, 32 & P, 9		700	3.95	4" Diagonal Cutter
119	.95		1 1/2" Skt. 1/2" Dr.	H, 5	515-A	6.25	Plr. W/5 1/2" Sc. A, 32 & P, 9		700-A	4.35	5" Diagonal Cutter
120	.95		5/8" Skt. 1/2" Dr.	H, 5	515-HF	.95	3/8" x 4" Cap Sc. (Pr.) A, 32		700-B	4.75	6" Diagonal Cutter
121	1.05		2 1/2" Skt. 1/2" Dr.	H, 5	515-S	2.25	13 3/4" Screw A, 32 & P, 8		702	4.95	7" Side Cutter
122	1.05		1 1/8" Skt. 1/2" Dr.	H, 5	515-T	2.00	5 1/2" Screw	A, 32	703	2.75	Battery Plier
124	1.10		3/4" Skt. 1/2" Dr.	H, 5	516	1.50	Speedometer Wr.	A, 29	704	4.45	Brake Spring Plier
125	1.10		2 3/4" Skt. 1/2" Dr.	H, 5	517	5.50	Gas Gauge Wr.	A, 29	706	2.75	Water Pump Plier
126	1.20		1 3/8" Skt. 1/2" Dr.	H, 5	520	1.50	Flare Nut Wrench	A, 27	707	4.90	Plier w/cutter
127	1.60		1 3/8" Tie Rod Skt.	H, 5	521	1.50	Flare Nut Wrench	A, 27	708	3.95	Plier w/o cutter
128	1.25		7/8" Skt. 1/2" Dr.	H, 5	524	2.05	Chev. Feeler Gauge	H, 14	712	1.75	6" Slip Jt. Plier
129	1.60		1 3/8" Tie Rod Skt.	H, 5	529	10.50	Rear Ax. Nut Wr.	A, 28	712-A	2.25	8" Slip Jt. Plier
130	1.35		1 3/8" Skt. 1/2" Dr.	H, 5	530	11.50	Rear Ax. Nut Wr.	A, 28	713	3.05	10" Slip Jt. Plier
132	1.40		1" Skt. 1/2" Dr.	H, 5	530 1/2	12.50	Rear Ax. Nut Wr.	A, 28	714	3.50	Horseshoe Lock
134	1.45		1 1/8" Skt. 1/2" Dr.	H, 5	531	2.10	Starter Wr.	A, 29			Ring Plier
136	1.75		1 1/8" Skt. 1/2" Dr.	H, 5	536	3.10	Camber Wrench	A, 23	715	4.95	Splitting Plier
138	1.80		1 3/8" Skt. 1/2" Dr.	H, 5	537	3.10	Camber Wrench	A, 23	721	4.65	6" End Nippers
140	1.90		1 1/4" Skt. 1/2" Dr.	H, 5	538	3.10	Camber Wrench	A, 23	722	5.10	7" End Nippers
188	20.25		Socket Set	—	539	3.10	Camber Wrench	A, 23	727	1.75	2 1/2" Screw Starter
195	1.05		Metal Tray	—	550	1.95	7/8" Hd. Bolt Wrench	—	727-A	2.05	2 1/2" Screw Starter
212	.80		3/8" Skt. 3/8" Dr.	H, 5	551	1.95	3/4" IH Tr. Hd. Bit. Wr.	—	728	1.95	5 1/2" Screw Starter
214	.80		7/16" Skt. 3/8" Dr.	H, 5	552	1.95	3/4" IH Truck Head	—	728-A	2.25	6" Screw Starter
216	.80		1/2" Skt. 3/8" Dr.	H, 5			Bolt Wrench	A, 26	729	2.10	9 1/4" Screw Starter
218	.80		5/8" Skt. 3/8" Dr.	H, 5	553	1.95	Lincoln Hd. Bit. Wr.	A, 26	729-A	2.50	9" Screw Starter
220	.85		5/8" Skt. 3/8" Dr.	H, 5	554	1.95	Ford-Merc.	—	730	.25	3" Screw Starter
222	.90		1 1/8" Skt. 3/8" Dr.	H, 5			Head Bolt Wr.	A, 26	731	.35	6" Screw Starter
224	.90		3/4" Skt. 3/8" Dr.	H, 5	555	1.95	Hd. Bt. Torque Adpt.	A, 26	732	.45	9" Screw Starter
328	2.20		7/8" Skt. 3/4" Dr.	H, 5	556	1.95	3/4" Buick Hd. Bit. Wr.	—	775	1.50	Brake Adj. Tool
330	2.20		1 1/8" Skt. 3/4" Dr.	H, 5	556-A	3.50	Buick Hd. Bt. Wr.	A, 26	776	1.50	Brake Adj. Tool



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
780	2.10	Ignition Plier	H, 11	890	1.25	Metal Box	A, 35	952-A	24.50	Pulling Attach.	P, 7
781	2.75	Ignition Plier	H, 11	897	14.95	Thrd. Chaser	P, 21	952-B	5.00	Forcing Bolts (Pr)	—
782	3.95	Utility Plier	H, 11	898	28.70	Roller-Chain Tool	A, 35	952-D	36.50	Pulling Attach.	P, 7
783	4.55	Heavy Duty Plier	H, 11	898-A	4.95	Die Holder Assembly	A, 35	952-D5	9.90	Forcing Bolts (Pr)	—
800	.50	Bushing Dr. Collar	A, 35	898-B	5.50	3/8" Die Block Assm.	A, 35	952-MH	4.15	Forcing Bolts (Pr)	—
801	.50	Bushing Dr. Collar	A, 35	898-C	5.75	1/2" Die Block Assm.	A, 35	953	69.95	Pulling Attach.	P, 7
802	.50	Bushing Dr. Collar	A, 35	898-D	6.00	3/8" Die Block Assm.	A, 35	953-C	185.00	Pulling Attach.	P, 7
803	.50	Bushing Dr. Collar	A, 35	898-E	6.50	3/4" Die Block Assm.	A, 35	953-D	275.00	Pulling Attach.	P, 7
803-C	.70	Bushing Dr. Collar	A, 35	915	4.50	Steering Wheel Puller	—	954	9.95	Pilot Brg. Puller P,9 & A, 32	—
804	.70	Bushing Dr. Collar	A, 35	915-A	6.60	Steering Whl. Puller	A, 32	954-B	9.95	Pilot Brg. Puller P,9 & A, 32	—
806	.70	Bushing Dr. Collar	A, 35	916	1.25	Thrd. Adpt.	P, 6	954-C	9.95	Pilot Brg. Puller P,9 & A, 32	—
807	.70	Bushing Dr. Collar	A, 35	919	12.10	Adpt. Set	P, 6	958	6.90	Pinion Oil Seal Plr.	A, 27
807-A	.70	Bushing Dr. Collar	A, 35	920	1.30	Thrd. Adpt.	P, 6	958-A	8.90	Pinion Oil Seal Plr.	—
808	.70	Bushing Dr. Collar	A, 35	921	12.50	Puller	P, 9	960	22.50	Slide Hmr. Puller A,32 & P,9	—
809	.80	Bushing Dr. Collar	A, 35	924	1.35	Thrd. Adpt.	P, 6	961	14.75	Bridge	A, 28
810	.90	Bushing Dr. Collar	A, 35	925	1.60	Thrd. Adap. 3/4"-20	—	962	16.50	Pulling Attach.	A, 28
811	.90	Bushing Dr. Collar	A, 35	926	1.60	Thrd. Adap. 13/16"-16	—	963	16.50	Pulling Attach.	A, 28
813	2.05	Bushing Dr. Mandrel	A, 35	927	21.50	Push Puller	P, 5	964	16.50	Pulling Attach.	A, 28
814	2.35	Bushing Dr. Mandrel	A, 35	927-A	4.50	6 3/4" Legs (Pr.)	P, 5	965	9.90	Adapter Plate	A, 28
815	3.50	Bushing Dr. Mandrel	A, 35	927-A1	—	See new No. 927-C	—	970	39.90	Manual Sleeve Plr.	A, 31
818	14.45	Bushing Driver Set	A, 35	927-B	6.50	15 3/4" Legs (Pr.)	P, 5	970-FT	86.35	Ford Man. Sleeve Plr.	A, 15
819	1.60	Hacksaw Frame	H, 15	927-C	5.50	11 3/4" Legs (Pr.)	P, 5	970-HY	232.40	17 1/2-ton Hyd.	—
819-B	1.95	Blades (Dz.)	H, 15	927-D	4.50	4 3/4" Legs (Pr.)	P, 5			Sleeve Puller	A, 31
820	3.15	Hacksaw Frame	H, 15	928	1.75	Thrd. Adpt.	P, 6	970-HYFA	248.55	Ford Hyd. Slv. Plr.	A, 15
822	7.30	Clutch Aligning Set	A, 27	930	36.50	Push-Puller	—	970-YFA	85.60	Ford Slv. Plr. Group	A, 15
826-V	1.50	Ford Hub Plr. Attach.	—	930-B	9.90	16 1/2" Legs (Pr.)	P, 5	970-0	3.75	Sleeve Puller Plate	A, 31
827	17.85	Hub Puller Less Wr.	—	930-C	10.90	22 1/2" Legs (Pr.)	P, 5	970-1	3.25	Sleeve Puller Plate	A, 31
827-B	20.95	Universal Hub Puller	A, 28	930-D	8.90	9 1/2" Legs (Pr.)	P, 5	970-1A	3.25	Sleeve Puller Plate	A, 31
828	23.65	Flange Type Axle Plr.	A, 28	930-E	7.90	4 1/2" Legs (Pr.)	P, 5	970-2	3.25	Sleeve Puller Plate	A, 31
831	1.75	Pick-up Tool	H, 12	930-F	16.50	30" Legs (Pr.)	P, 5 & A, 20	970-2F	3.25	Ferguson Sl. Plr. Plt.	A, 31
832	2.95	Pick-up Tool	H, 12	930-L	9.35	7 1/2" Legs (Pr.)	—	970-2FC	3.25	3 3/4" for Ford	—
833	1.50	Pick-up Tool	H, 12	932	2.25	Thrd. Adpt.	P, 6			Cast Iron Sleeve	A, 31
834	3.15	Pick-up Tool	H, 12	932-A	3.10	Threaded Adaptor 1"	—	970-3	3.75	Sleeve Puller Plate	A, 31
835-S	6.25	Flaring Tool H,15 & P,20	H, 15 & P, 20	932-B	3.25	Thrd. Adpt.	P, 6	970-3RC	3.75	Sleeve Puller Plate	A, 31
837	3.70	Copper Tube Ctr. H,15 & P,20	H, 15 & P, 20	936	2.50	Thrd. Adpt.	P, 6	970-3RD	3.75	Sleeve Puller Plate	A, 31
838	5.20	Va. Tappet Adj. Tool	A, 24	938	36.50	Push Puller	P, 5	970-4	3.75	Sleeve Puller Plate	A, 31
843	1.50	Chev. Ring Comp.	A, 25	938-12	1.20	Ram Attach. Sc. (Pr)	—	970-4B	3.75	Sleeve Puller Plate	A, 31
844	5.50	Pitman Arm Wedge	A, 23	938-14	4.25	1/2" Adpt.	P, 11	970-4H	3.75	Sleeve Puller Plate	A, 31
845	2.90	Ring Groove Cleaner	A, 33	938-15	4.25	3/4" Adpt.	P, 11	970-5	3.95	Sleeve Puller Plate	A, 31
845-A	.85	Cutter Only (Not Guar.)	A, 33	938-HY	34.75	Push Puller	P, 5	970-5C	3.95	Sleeve Puller Plate	A, 31
846	2.90	Ring Groove Cleaner	A, 33	938-HYD	107.40	Hydr. Puller	P, 5	970-5D	3.95	Sleeve Puller Plate	A, 31
846-A	.85	Cutter Only (Not Guar.)	A, 33	938-J	6.90	Swivel Sleeve Ext.	A, 31	970-5FC	3.95	Sleeve Puller Plate	A, 31
847-A	2.85	Battery Term. Puller	A, 35	938-P	57.25	Push-Puller	—	970-6	3.95	Sleeve Puller Plate	A, 31
848	4.15	Battery Term. Puller	—	938-PA	10.40	8" Legs, (Pr)	—	970-6B	3.95	Sleeve Puller Plate	A, 31
849	2.90	Ring Compressor	A, 25	938-PB	16.70	18" Legs, (Pr)	—	970-6K	3.95	Sleeve Puller Plate	A, 31
849-T	3.70	Ring Compressor	A, 25	938-PC	20.95	28" Legs, (Pr)	—	970-7	4.50	Sleeve Puller Plate	A, 31
850-T	8.35	Truck Ring Comp.	A, 25	938-PHY	49.90	Push Puller Assm.	—	970-7B	4.50	Sleeve Puller Plate	A, 31
851-A	2.95	Valve Lock Insert	A, 24	938-P-12	1.60	Ram Attach. Sc. (Pr)	—	970-7C	4.50	Sleeve Puller Plate	A, 31
851A-D6	17.70	Set of 6 #851-A	—	938-P-12A	1.05	Ram Attach. Screws	—	970-7D	4.50	Sleeve Puller Plate	A, 31
852	1.95	Tube Bending Set H,15 & P,20	H, 15 & P, 20	938-P-14	6.20	3/4" Shk. Push. Adap.	—	970-7E	4.50	Sleeve Puller Plate	A, 31
852-A	.30	3/4" Tube Bender	H, 15	938-P-15	6.20	1" Shk. Push. Adap.	—	970-7F	4.50	Sleeve Puller Plate	A, 31
852-B	.30	5/8" Tube Bender	H, 15	939	76.50	Push Puller	P, 5	970-7K	4.50	Sleeve Puller Plate	A, 31
852-C	.30	3/8" Tube Bender	H, 15	939-14	6.90	Push. Adpt.	P, 11	970-8	4.50	Sleeve Puller Plate	A, 31
852-D	.35	7/16" Tube Bender	H, 15	939-15	6.90	Push. Adpt.	P, 11	970-8F	4.50	Sleeve Puller Plate	A, 31
852-E	.35	1/2" Tube Bender	H, 15	939-A	13.50	8" Legs (Pr.)	P, 5	970-8M	4.50	Sleeve Puller Plate	A, 31
852-F	.35	5/8" Tube Bender	H, 15	939-B	22.50	18" Legs (Pr.)	P, 5	970-8W	4.50	Sleeve Puller Plate	A, 31
853-A	14.00	Steering Wheel Plr.	A, 32	939-C	29.90	28" Legs (Pr.)	P, 5	970-9	5.25	Sleeve Puller Plate	A, 31
854	13.65	Flaring Tool Set H,15 & P,20	H, 15 & P, 20	939-HY	68.50	Push Puller	P, 5	970-9B	5.25	Sleeve Puller Plate	A, 31
854-A	1.85	Box only	H, 15	939-HYD	185.45	Hydr. Puller	P, 5	970-9C	5.25	Sleeve Puller Plate	A, 31
858	.40	Blade Holder	H, 14	939-1/2-14	11.50	Pushing Adpt.	P, 11	970-9W	5.25	Sleeve Puller Plate	A, 31
859	.50	Dble. Ga. Stockholder	—	939-1/2-15	11.50	Pushing Adpt.	P, 11	970-10	5.25	Sleeve Puller Plate	A, 31
860	1.30	Thickness Gauge	H, 14	939-1/2-A	48.50	24" Legs (Pr.)	P, 5	970-10B	5.25	Sleeve Puller Plate	A, 31
860-A	1.95	Feeler Gauge	H, 14	939-1/2-B	63.50	34" Legs (Pr.)	P, 5	970-10C	5.25	Sleeve Puller Plate	A, 31
861	2.65	25 Blade Gauge	H, 14	939-1/2-HY	149.00	Puller Ass'y.	P, 5	970-10K	5.25	Sleeve Puller Plate	A, 31
862	1.40	Ignition Gauge (New)	H, 14	939-1/2-HYD	366.20	Hydr. Puller	P, 5	970-11	5.75	Sleeve Puller Plate	A, 31
863	1.30	Brake Feeler Gauge	—	940	2.95	Thrd. Adpt.	P, 6	970-11B	5.75	Sleeve Puller Plate	A, 31
863-A	3.95	Go-No-Go Gauge	H, 14	943	22.50	Cup Pull. Attach.	P, 8	970-12	5.75	Sleeve Puller Plate	A, 31
864	2.35	Thickness Gauge	H, 14	943-A	22.50	Cup Pull. Attach.	P, 8	970-12B	5.75	Sleeve Puller Plate	A, 31
864-A	2.50	Univ. OHV Gauge	H, 14	943A-E	24.50	Cup Pull. Attach.	P, 8	970-12K	5.75	Sleeve Puller Plate	A, 31
865-B	6.50	Stud Puller	A, 35	943-B	18.55	Cup Pull. Attach.	P, 8	970-12M	5.75	Sleeve Puller Plate	A, 31
866	1.20	Spark Plug Gauge	H, 14	943-C	22.50	Cup Pull. Attach.	P, 8	970-12P	5.75	Sleeve Puller Plate	A, 31
867	2.65	Go-No-Go Gauge	H, 14	943C-E	24.50	Cup Pull. Attach.	P, 8	970-13	6.75	Sleeve Puller Plate	A, 31
868	1.60	Ring Compressor	A, 25	943-D	37.50	Cup Pull. Attach.	P, 8	970-13H	6.75	Sleeve Puller Plate	A, 31
869	1.70	Piston Feeler Ga.	H, 14	943D-E	37.50	Cup Pull. Attach.	P, 8	970-13W	6.75	Sleeve Puller Plate	A, 31
870	1.00	Extractor	H, 15	943-E	24.50	Cup Pull. Attach.	P, 8	970-14	6.75	Sleeve Puller Plate	A, 31
871	1.00	Extractor	H, 15	943-S	7.50	Slide Hmr. Puller P,9 & A, 32	—	970-14B	6.75	Sleeve Puller Plate	A, 31
872	1.00	Extractor	H, 15	943-T	26.05	Slide Hmr. Puller P,9 & A, 32	—	970-15	6.75	Sleeve Puller Plate	A, 31
873	1.00	Extractor	H, 15	944-A	17.35	Pin. Puller, Complete	—	970-15K	6.75	Sleeve Puller Plate	A, 31
874	1.00	Extractor	H, 15	944-C	17.35	Pinion Shaft Puller	—	970-15KB	6.75	Sleeve Puller Plate	A, 31
875	1.00	Extractor	H, 15	944-G	24.75	Pinion Shaft Puller	A, 27	970-16	6.75	Sleeve Puller Plate	A, 31
877	6.00	Screw Extractor Set	—	947	49.50	Cup Pull. Attach.	P, 8	970-16K	6.75	Sleeve Puller Plate	A, 31
877-L	6.75	Set In Plastic Roll	H, 15	947-E	49.50	Cup Pull. Attach.	P, 8	970-17	7.90	Sleeve Puller Plate	A, 31
877-L1	.75	Plastic Roll only	H, 15	948	2.95	Thrd. Adpt.	P, 6	970-17C	7.90	Sleeve Puller Plate	A, 31
879	9.40	Stud Wrench	—	949-1/2	5.90	Pulling Attach.	P, 7	970-18	7.90	Sleeve Puller Plate	A, 31
880	14.65	Stud Wrench	—	950	6.90	Pulling Attach.	P, 7	970-18C	7.90	Sleeve Puller Plate	A, 31
885	8.90	Hook Spanner Wr. A,5 & P,20	A, 5 & P, 20	950-FA	6.75	Pulling Attachment	A, 20	970-19	7.90	Sleeve Puller Plate	A, 31
887	4.99	Chain Wrench H, 15 & P, 21	H, 15 & P, 21	951	16.50	Pulling Attach.	P, 7	970-19B	7.90	Sleeve Puller Plate	A, 31
887-D6	29.94	Display of 6	H, 15	951-FA	15.70	Pulling Attachment	A, 20	970-20	7.90	Sleeve Puller Plate	A, 31
888	12.60	Chain Wrench H, 15 & P, 21	H, 15 & P, 21	952	22.50	Pulling Attach.	P, 7	970-20W	8.90	Sleeve Puller Plate	A, 31



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
970-21	8.90	Sleeve Puller Plate	A, 31	1014	84.50	Puller, 3 Jaw	P, 3	AC-627	5.50	Brake Drum Leg	A, 15
970-21C	9.90	Sleeve Puller Plate	A, 31	1014-HLY	208.90	Puller, 3 Jaw	P, 3	AC-628	3.15	Ends (Pr.)	A, 15
970-22	9.90	Sleeve Puller Plate	A, 31	1014-HY	201.25	Puller, 3 Jaw	P, 3	AC-628	3.15	AC Pump Flange Puller	—
970-22C	9.90	Sleeve Puller Plate	A, 31	1014-L	92.15	Puller, 3 Jaw	P, 3	AC-692	9.90	Split Sleeve	A, 8
970-23	9.90	Sleeve Puller Plate	A, 31	1014-LY	91.95	Puller, 3 Jaw	P, 3	AC-748	74.50	Sprocket Wr.	A, 9
970-23C	9.90	Sleeve Puller Plate	A, 31	1014-Y	84.30	Puller, 3 Jaw	P, 3	AC-749	84.50	Sprocket Wr.	A, 9
970-23K	11.90	Sleeve Puller Plate	A, 31	1015	125.00	Puller, 3 Jaw	P, 3	AC-750	64.50	Sprocket Wr.	A, 9
970-24	11.90	Sleeve Puller Plate	A, 31	1015-HLY	272.45	Puller, 3 Jaw	P, 3	AC-751	34.50	Sprocket Wr.	A, 9
970-25	11.90	Sleeve Puller Plate	A, 31	1015-HY	248.50	Puller, 3 Jaw	P, 3	AC-752	26.00	AC Steering Cl. & Pin.	—
970-27	11.90	Sleeve Puller Plate	A, 31	1015-L	149.00	Puller, 3 Jaw	P, 3	AC-754	4.95	Shaft Hub Puller	—
970-27C	11.90	Sleeve Puller Plate	A, 31	1015-LY	155.50	Puller, 3 Jaw	P, 3	AC-960	18.95	Lifting Eye	A, 7
970-27F	11.90	Sleeve Puller Plate	A, 31	1015-Y	131.55	Puller, 3 Jaw	P, 3	AC-961	12.95	Turbine Spanner Wr.	A, 7
970-28	13.50	Sleeve Puller Plate	A, 31	1016	252.95	Puller, 3 Jaw	P, 3	AC-962	24.75	Wheel Turning Tool	A, 7
970-29	13.50	Sleeve Puller Plate	A, 31	1016-HLY	487.70	Puller, 3 Jaw	P, 3	AC-962	24.75	Spanner Wrench	A, 7
970-30	13.50	Sleeve Puller Plate	A, 31	1016-HY	445.65	Puller, 3 Jaw	P, 3	AC-963	13.95	Input Shaft Nut Wr.	A, 7
970-31	13.50	Sleeve Puller Plate	A, 31	1016-L	295.00	Puller, 3 Jaw	P, 3	AC-964	2.95	Lifting Bracket	A, 7
973	69.45	17½-ton Sleeve Puller Group	A, 31	1016-LY	270.50	Puller, 3 Jaw	P, 3	AC-965	39.50	Turbine Housing Std.	A, 7
973-8	4.25	Speed Nut	P, 11	1016-Y	228.45	Puller, 3 Jaw	P, 3	AC-966	39.50	Clutch Housing Std.	A, 7
973-R	8.90	Installing Yoke Asy.	A, 31	1017-HY	1213.95	Puller, 3 Jaw	P, 3	AC-967	48.50	Puller Yoke	A, 6
973-S	8.00	Swivel Assembly	A, 31	1017-Y	698.00	Puller, 3 Jaw	P, 3	AC-968	1.95	Spec. Step Plate	A, 6
975-12	12.50	Sleeve Puller Plate	A, 30	1201-A	39.90	Budd Wheel Wr. Com.	—	AC-969	39.95	Retaining Nut Wr.	A, 6
975-15KB	12.50	Sleeve Puller Plate	A, 30	1600	24.75	Pitman Arm Plr. Set	A, 22	AC-970	29.90	Fixture & Gauge	A, 6
975-16	12.50	Sleeve Puller Plate	A, 30	1600-1	5.95	Small Puller Body	A, 22	AC-971	14.75	Installing Tool	A, 6
975-18	15.00	Sleeve Puller Plate	A, 30	1600-2	3.95	1" - 14 Hex Nut	A, 22	AC-972	3.95	Forcing Screw	A, 8
975-19	15.00	Sleeve Puller Plate	A, 30	1600-3	6.95	Large Puller Body	A, 22	AC-973	11.90	Pulling Tube	A, 8
975-21	15.00	Sleeve Puller Plate	A, 30	1600-4	3.95	1½" - 12 Hex Nut	A, 22	AC-974	9.90	Pulling Tube Cap	A, 8
975-22	15.00	Sleeve Puller Plate	A, 30	1600-5	3.95	1¼" - 14 Hex Nut	A, 22	AC-975	7.90	Pulling Tube	A, 8
975-23	15.00	Sleeve Puller Plate	A, 30	1601	9.90	Pitman Arm Puller	A, 22	AC-976	3.95	Pulling Tube Cap	A, 8
975-29	15.00	Sleeve Puller Plate	A, 30	1602	10.90	Pitman Arm Puller	A, 22	AC-977	14.75	Installing Tool	A, 6
975-B	112.80	Sleeve Plr. Assy. only	A, 30	1603	10.90	Pitman Arm Puller	A, 22	AC-978	8.95	Special Tube	A, 7
975-HY	308.00	30-ton Hyd. Slv. Plr.	A, 30	A-10	24.95	Retain. Nut Span. Wr.	A, 5	AM-450-T	3.75	Oil Pump Tool	A, 18
976-1	4.35	Sleeve Install. Plate	A, 31	A-11	11.95	Sprag Assem. Sl. Tl.	A, 5	AM-451-T	1.25	Bushing Driver	A, 18
976-2	5.95	Sleeve Install. Plate	A, 31	A-12	9.90	Lock Nut Wrench	A, 5	AM-452-G	1.00	Set Gauge	A, 18
976-3	6.90	Sleeve Install. Plate	A, 31	A-150	3.60	Stubby Valve Lifter	A, 24	AM-453-T	4.85	Set Gauge	A, 18
976-4	7.90	Sleeve Install. Plate	A, 31	A-602	27.71	Utility Tool Set	H, 6	AM-454-T	15.50	Set Gauge	A, 18
976-5	8.90	Sleeve Install. Plate	A, 31	A-1012	1.65	¾" x ¾" Box Wr.	H, 9	AM-457-T	2.75	Driver	A, 18
1000	4.95	Puller, 2 Jaw	P, 3	A-1214	1.79	¾" x ¾" Box Wr.	H, 9	AM-458-T	16.50	Set Gauge & Driver	A, 18
1000-½-L	6.95	Puller, 2 Jaw	P, 3	A-1618	1.93	½" x ¾" Box Wr.	H, 9	AM-459-T	1.50	Snap Ring Tool	A, 18
1001	9.90	Puller, 2 Jaw	P, 3	A-1820	2.30	¾" x ¾" Box Wr.	H, 9	AM-460-T	1.95	Snap Ring Tool	A, 18
1001-1B	4.15	Spec. Carrier Brg. Jaws (Pr)	—	A-2022	2.30	¾" x 1¼" Box Wr.	H, 9	AM-552-T	1.85	Staking Tool	A, 18
1001-C	9.40	Grip-O-Matic Puller	—	A-2024	2.49	¾" x ¾" Box Wr.	H, 9	AM-553-T	.75	Driver	A, 18
1001-C8	2.05	Wedge-Complete	—	AB-1	3.75	Fuel Line Wrench	A, 33	AM-587-T	45.50	Special Tool Set	A, 18
1001-L	9.90	Puller, 2 Jaw	P, 3	AC-6	7.90	Brake Pin Puller	A, 15	AM-2047-T	6.85	Oil Seal Driver	A, 18
1002	18.50	Puller, 2 Jaw	P, 3	AC-10	1.75	AC Valve Guide Dr.	A, 33	AM-2048-T	2.95	Relief Valve Wrench	A, 18
1002-L	18.50	Puller, 2 Jaw	P, 3	AC-11	1.75	AC Valve Guide Dr.	A, 33	AM-2774-T	7.95	Oil Seal Tool	A, 18
1003	29.90	Puller, 2 Jaw	P, 3	AC-12	1.75	AC Valve Guide Dr.	A, 33	AM-3998-T	16.50	Set Gauge & Driver	A, 18
1003-L	33.80	Puller, 2 Jaw	P, 3	AC-14	1.75	AC Valve Guide Dr.	A, 33	AS-27	549.55	Industrial Puller Set	—
1003-½	44.50	Puller, 2 Jaw	P, 3	AC-16	1.75	AC Valve Guide Dr.	A, 33	AT-11487-T	19.95	Output Pinion Set Ga.	A, 18
1003-½-HLY	126.85	Puller, 2 Jaw	P, 3	AC-20	5.15	Water Pump Imp. Pl.	A, 9				
1003-½-HY	116.85	Puller, 2 Jaw	P, 3	AC-39	3.10	Timing Gauge	A, 9				
1003-½-L	52.50	Puller, 2 Jaw	P, 3	AC-40	3.10	Timing Gauge	A, 9				
1003-½-LY	54.20	Puller, 2 Jaw	P, 3	AC-41	2.05	Single End Time Ga.	—				
1003-½-Y	44.20	Puller, 2 Jaw	P, 3	AC-42	4.50	Cell Remov. Adpt.	A, 9				
1004	65.90	Puller, 2 Jaw	P, 3	AC42-A	4.50	Cell Remov. Adpt.	A, 9				
1004-L	71.00	Puller, 2 Jaw	P, 3	AC-43	5.80	Cell Remov. Adpt.	A, 9				
1005	98.50	Puller, 2 Jaw	P, 3	AC43-A	4.50	Cell Remov. Adpt.	A, 9				
1005-HLY	221.50	Puller, 2 Jaw	P, 3	AC-44	19.30	Energy Cell & Plug	—				
1005-HY	205.50	Puller, 2 Jaw	P, 3			Adapt. Set	—				
1005-L	114.50	Puller, 2 Jaw	P, 3	AC44-A	26.80	Energy Cell Plr. Set	A, 9	B-1214	2.33	¾" x ¾" Wr.	H, 9
1005-LY	104.55	Puller, 2 Jaw	P, 3	AC-45	3.10	Timing Gauge	A, 9	B-1416	2.39	¾" x ½" Wr.	H, 9
1005-Y	88.55	Puller, 2 Jaw	P, 3	AC-46	3.10	Timing Gauge	A, 9	B-1618	2.63	½" x ¾" Wr.	H, 9
1006	184.80	Puller, 2 Jaw	P, 3	AC-47	3.10	Timing Gauge	A, 9	B-1820	2.72	¾" x ¾" Wr.	H, 9
1006-HLY	396.20	Puller, 2 Jaw	P, 3	AC-82	329.82	Serviceman's Tool Kit	—	B-2022	2.85	¾" x 1¼" Wr.	H, 9
1006-HY	363.00	Puller, 2 Jaw	P, 3	AC-82-A	365.98	Letourneau Service-man's Kit	—	B-2024	2.95	¾" x ¾" Wr.	H, 9
1006-L	218.00	Puller, 2 Jaw	P, 3			AC Ster. Clutch Set	A, 8	B-2425	3.04	¾" x 2½" Wr.	H, 9
1006-LY	179.00	Puller, 2 Jaw	P, 3	AC-300	101.25	AC Ster. Clutch Set Cpt.	A, 8	B-2428	3.17	¾" x ¾" Wr.	H, 9
1006-Y	145.80	Puller, 2 Jaw	P, 3	AC300-A	264.20	AC Ster. Clutch Set Cpt.	A, 8	B-2628	3.17	1¼" x ¾" Wr.	H, 9
1010	7.90	Puller, 3 Jaw	P, 3	AC-301	5.25	AC Clutch Plate	A, 8	B-3032	4.29	1¼" x 1" Wr.	H, 9
1010-½-L	10.90	Puller, 3 Jaw	P, 3	AC-302	7.60	AC Spec. Clutch Tube	A, 8	B-3436	6.95	1¼" x 1½" Wr.	H, 9
1011	13.60	Triple-Grip Puller	—	AC-303	7.60	AC Spec. Clutch Plate	A, 8	B-4042	10.77	1¼" x 1½" Wr.	H, 9
1011-A	15.95	Puller, 2 & 3	P, 3	AC-304	19.90	AC Spec. Clutch Plate	A, 8	BE-8L	8.95	Wrench Set	H, 9
1011-A-L	15.95	Puller, 2 & 3	P, 3	AC-305	6.30	AC Spec. Clutch Plate	A, 8	BE-8-L1	.35	Plastic Roll Only	H, 9
1011-L	16.75	Triple-Grip Puller	—	AC-306	6.30	AC Spec. Clutch Plate	A, 8	BP-2	2.29	2 Oz. Hammer	H, 15
1012	26.20	Triple-Grip Puller	—	AC-307	5.25	AC Spec. Clutch Tube	A, 8	BP-4	2.50	4 Oz. Hammer	H, 15
1012-A	29.90	Puller, 2 & 3	P, 3	AC-308	19.85	AC Spec. Clutch Plate	A, 8	BP-8	2.70	8 Oz. Hammer	H, 15
1012A-L	29.90	Puller, 2 & 3	P, 3	AC-309	16.70	AC Spec. Cl. Frc. Sc.	A, 8	BP-8A	5.20	8 Oz. Super Ball	—
1012-L	26.20	Triple-Grip Puller	—	AC-515	10.65	Turbo Charger Plr. Set	A, 8				
1013	38.80	Triple-Grip Puller	—	AC-520	6.70	Injection Nozzle Wr.	A, 8	BP-12	2.83	12 Oz. Hammer	H, 15
1013-A	44.50	Puller, 2 & 3	P, 3	AC-521	5.50	Injection Nozzle Hldr.	A, 8	BP-12A	5.20	12 Oz. Super Ball	—
1013A-L	49.50	Puller, 2 & 3	P, 3	AC-522	3.25	Inj. Noz. Pull. Adpt.	A, 8				
1013-L	41.95	Triple-Grip Puller	—	AC-523	9.50	Tubular Spanner Wr.	A, 8	BP-16	3.05	1 Lb. Hammer	H, 15
1013-LY	46.20	Grip-O-Matic Puller	—	AC-524	29.95	Engine Sling	A, 7	BP-16-A	5.25	1 Lb. Super Ball	—
1013-½	60.50	Puller, 3 Jaw	P, 3	AC-525	6.90	Universal Sling	A, 7				
1013-½-HLY	151.25	Puller, 3 Jaw	P, 3	AC-526	7.90	Torque Wr. Adpt.	A, 6	BP-20	3.30	1¼ Lb. Hammer	H, 15
1013-½-HY	136.25	Puller, 3 Jaw	P, 3	AC-527	8.90	Torque Wr. Adpt.	A, 6	BP-24	3.48	1½ Lb. Hammer	H, 15
1013-½-L	75.50	Puller, 3 Jaw	P, 3	AC-528	7.50	Torque Wr. Adpt.	A, 6	BP-24A	5.45	1½ Lb. Super Ball	—
1013-½-LY	78.60	Puller, 3 Jaw	P, 3	AC-529	12.50	Torque Wr. Adpt.	A, 6				
1013-½-Y	63.60	Puller, 3 Jaw	P, 3	AC-530	7.90	Spec. Puller Bolts	A, 6	BP-32	3.94	2 Lb. Hammer	H, 15
				AC-531	9.90	Spec. Pulling Tube	A, 9	BP-32A	5.75	2 Lb. Super Ball	—

B-20 through B-65 tool chests Please secure special price sheet C-H-9U; prices vary according to shipping distance. H, 2



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
BP-48-B	4.94	3 Lb. Hammer	H, 15	CP-10	.69	5/16" Center Punch	H, 13	E-2628	2.95	1 1/16" x 7/8" O.E. Wr.	H, 8
BW-4L	5.10	Box Wr. Set	H, 9	CP-12	.79	3/8" Center Punch	H, 13	E-3032	4.25	1 1/16" x 1" O.E. Wr.	H, 8
BW-4-L1	.30	Plastic Roll Only	H, 9	CP-16	.95	1/2" Center Punch	H, 13	E-3436	4.85	1 1/16" x 1 1/8" O.E. Wr.	H, 8
BW-6	1.20	3/16" x 1 3/4" Wr.	H, 9	CP-20	1.29	5/8" Center Punch	H, 13	E-3440	5.85	1 1/16" x 1 1/4" O.E. Wr.	H, 8
BW-7	1.20	7/32" x 1 3/4" Wr.	H, 9	CP-24	1.69	3/4" Center Punch	H, 13	E-3640	5.85	1 1/8" x 1 1/4" O.E. Wr.	H, 8
BW-8	1.20	1/4" x 1 1/2" Wr.	H, 9	CS-3L	6.65	Wrench Set	H, 10	ED-324	12.60	Metal Box	—
BW-10	1.20	5/16" x 1 1/2" Wr.	H, 9	CS-3-L1	.45	Plastic Roll Only	H, 10	ED-1133-18	1.50	Roll for A-602	H, 6
C-3L	17.32	Wrench Set	H, 8	CS-44	5.20	1 3/8" Flare Nut Wr.	H, 10	ED-1731	4.00	J.D. Flywheel Wr.	A, 16
C-3-L1	.50	Plastic Roll Only	H, 8	CS-56	7.25	1 1/4" Flare Nut Wr.	H, 10	ED-1887-A	3.10	Valve Seat Puller	A, 17
C-10	1.65	3/16" Comb. Wr.	H, 8	CS-1214	1.75	3/8" x 7/16" Wrench	H, 10	ED-1887-B	3.10	Valve Seat Puller	A, 17
C-12	1.74	3/8" Comb. Wr.	H, 8	CS-1618	1.95	1/2" x 9/16" Wr.	H, 10	ED-1887-C	5.00	Valve Seat Puller	A, 17
C-14	2.07	7/16" Comb. Wr.	H, 8	CS-2022	2.50	5/8" x 1 1/16" Wr.	H, 10				
C-16	2.23	1/2" Comb. Wr.	H, 8	CS-2428	2.95	3/4" x 7/8" Wr.	H, 10				
C-18	2.32	9/16" Comb. Wr.	H, 8	CS-3236	3.95	1" x 1 1/8" Wr.	H, 10				
C-20	2.56	5/8" Comb. Wr.	H, 8	CSO-40	5.20	1 1/4" Flare Nut Wr.	H, 10				
C-22	2.85	1 1/16" Comb. Wr.	H, 8								
C-24	3.05	3/4" Comb. Wr.	H, 8								
C-26	3.85	1 3/16" Comb. Wr.	H, 8								
C-28	4.12	7/8" Comb. Wr.	H, 8								
C-30	4.55	1 1/16" Comb. Wr.	H, 8								
C-32	5.07	1" Comb. Wr.	H, 8								
C-34	5.77	1 1/16" Comb. Wr.	H, 8	CT-683	10.50	Valve Spr. Comp.	A, 10	EW-7	.95	7/32" x 1 3/4" Ign. Wr.	H, 8
C-36	6.68	1 1/8" Comb. Wr.	H, 8	CT-685	19.90	Adj. Hook Span. Wr.	A, 5	EW-8	.95	1/4" x 1 3/4" Ign. Wr.	H, 8
C-40	7.78	1 1/4" Comb. Wr.	H, 8	CT-686	29.90	Adj. Hook Span. Wr.	A, 5	EW-9	.95	9/32" x 1 1/2" Ign. Wr.	H, 8
C-42	8.76	1 5/16" Comb. Wr.	H, 8					EW-10	.95	5/16" x 3/8" Ign. Wr.	H, 8
C-44	8.76	1 3/8" Comb. Wr.	H, 8	D-10	1.05	Delco Dist. Wrench	A, 25	EW-15-L	7.90	Ignition Wr. Set	H, 8
C-46	10.75	1 7/16" Comb. Wr.	H, 8	D-114	.95	7/16" Hex. Socket	H, 5	EW-15-L1	.30	Plastic Roll Only	H, 8
C-48	10.75	1 1/2" Comb. Wr.	H, 8	D-116	.95	1/2" Hex. Socket	H, 5	EW-16-L	10.25	Ignition Wr. Set	H, 8
C-52	13.95	1 3/8" Comb. Wr.	H, 8	D-118	.95	9/16" Hex. Socket	H, 5	EW-16-L1	.55	Plastic Roll Only	H, 4
C-54	15.50	1 1/16" Comb. Wr.	H, 8	D-120	.95	5/8" Hex. Socket	H, 5	FW-001	.35	Feeler Blade (Ea.)	H, 14
C-56	19.95	1 3/4" Comb. Wr.	H, 8	D-122	1.00	1 1/16" Hex. Socket	H, 5	FW-0015	.35	Feeler Blade (Ea.)	H, 14
C-58	19.95	1 13/16" Comb. Wr.	H, 8	D-124	1.10	3/4" Hex. Socket	H, 5	FW-002	.35	Feeler Blade (Ea.)	H, 14
C-60	21.50	1 1/2" Comb. Wr.	H, 8	D-214	.80	7/16" Hex. Socket	H, 5	FW-003	.35	Feeler Blade (Ea.)	H, 14
C-64	22.50	2" Comb. Wr.	H, 8	D-216	.80	1/2" Hex. Socket	H, 5	FW-004	.35	Feeler Blade (Ea.)	H, 14
CC-8	.80	1/4" Cold Chisel	H, 13	D-218	.85	9/16" Hex. Socket	H, 5	FW-005	.35	Feeler Blade (Ea.)	H, 14
CC-10	.90	5/16" Cold Chisel	H, 13	D-220	.85	5/8" Hex. Socket	H, 5	FW-006	.35	Feeler Blade (Ea.)	H, 14
CC-12	1.10	3/8" Cold Chisel	H, 13	D-222	.90	1 1/16" Hex. Socket	H, 5	FW-007	.35	Feeler Blade (Ea.)	H, 14
CC-16	1.45	1/2" Cold Chisel	H, 13	D-224	.95	3/4" Hex. Socket	H, 5	FW-008	.35	Feeler Blade (Ea.)	H, 14
CC-20	1.85	5/8" Cold Chisel	H, 13	D-812	.95	1/4" F x 3/8" M Adapt.	H, 5	FW-009	.35	Feeler Blade (Ea.)	H, 14
CC-24	2.60	3/4" Cold Chisel	H, 13	D-1216	1.40	3/8" F x 1/2" M Adapt.	H, 5	FW-010	.35	Feeler Blade (Ea.)	H, 14
CC-24-L	4.95	3/4" Cold Chisel	H, 13	D-1280	1.00	3/8" F x 1/4" M Adapt.	H, 5	FW-011	.35	Feeler Blade (Ea.)	H, 14
CC-25-L	10.45	Chisel Set	H, 13	D-1612	1.40	1/2" F x 3/8" M Adapt.	H, 5	FW-012	.35	Feeler Blade (Ea.)	H, 14
CC-25-L1	1.75	Plastic Roll Only	H, 13	D-1624	2.05	1/2" F x 3/4" M Adapt.	H, 5	FW-013	.35	Feeler Blade (Ea.)	H, 14
CC-28	4.95	7/8" Cold Chisel	H, 13	D-2416	2.05	3/4" F x 1/2" M Adapt.	H, 5	FW-014	.35	Feeler Blade (Ea.)	H, 14
CC-32	7.95	1" Cold Chisel	H, 13	D-2432	4.25	3/4" F x 1" M Adapt.	H, 5	FW-015	.35	Feeler Blade (Ea.)	H, 14
CF-11	11.95	C-Type Lifter	A, 24	D-3224	4.95	1" F x 3/4" M Adapt.	H, 5	FW-016	.35	Feeler Blade (Ea.)	H, 14
CF-16	15.10	C-Type Lifter	A, 24	DA-4	2.65	4" Adjust. Wr.	H, 10	FW-017	.35	Feeler Blade (Ea.)	H, 14
CF-17	9.90	C-Type Lifter	A, 24	DA-6	2.65	6" Adjust. Wr.	H, 10	FW-018	.35	Feeler Blade (Ea.)	H, 14
CF-19	3.60	Valve Lifter	A, 33	DA-8	3.10	8" Adjust. Wr.	H, 10	FW-019	.35	Feeler Blade (Ea.)	H, 14
CF-19-3A	1.25	Valve Lifter Jaws	A, 33	DA-10	4.00	10" Adjust. Wr.	H, 10	FW-020	.35	Feeler Blade (Ea.)	H, 14
CF-19-4	1.25	Valve Lifter Jaws	A, 33	DA-12	5.80	12" Adjust. Wr.	H, 10	FW-021	.35	Feeler Blade (Ea.)	H, 14
CF-21	1.50	Valve Lifter Jaws	A, 24	DA-13	42.80	Parts Assortment	H, 10	FW-022	.35	Feeler Blade (Ea.)	H, 14
CF-22	1.50	Valve Lifter Jaws	—	DA-13-B	2.35	Plastic Box	H, 10	FW-023	.35	Feeler Blade (Ea.)	H, 14
CF-22-B	1.50	Valve Lifter Jaws	A, 24	DA-15	10.45	15" Adjust. Wr.	H, 10	FW-024	.35	Feeler Blade (Ea.)	H, 14
CF-22-C	1.50	Valve Lifter Jaws	A, 24	DA-18	15.70	18" Adjust. Wr.	H, 10	FW-025	.35	Feeler Blade (Ea.)	H, 14
CF-23	1.50	Valve Lifter Jaws	A, 24	DA-16	1.60	1/2" Diamond Pt.	H, 13	FW-026	.35	Feeler Blade (Ea.)	H, 14
CF-26	3.15	Cad. Attach. for C-type Lifter	—	DR-25 3/8	20.00	0 to 25 Ft.Lbs. P, 22 & A, 34		FW-027	.35	Feeler Blade (Ea.)	H, 14
CF-60	8.40	Deglazing Tool	—	DR-25 1/2	20.00	0 to 25 Ft.Lbs. P, 22 & A, 34		FW-028	.35	Feeler Blade (Ea.)	H, 14
CF-60S	11.05	Deglazing Tool	—	DR-100-I	20.00	0 to 100In.Lbs. P, 22 & A, 34		FW-029	.35	Feeler Blade (Ea.)	H, 14
CF-60S-1	4.75	Abr. Stones (Set of 3)	—	DR-200-I	20.00	0 to 200In.Lbs. P, 22 & A, 34		FW-030	.35	Feeler Blade (Ea.)	H, 14
CF-60-C	11.50	Deglizr., 2"-5 1/4" Cap.	A, 26	DR-300-1 3/8	20.00	0 to 300In.Lbs. P, 22 & A, 34		FW-032	.35	Feeler Blade (Ea.)	H, 14
CF-60-C1	2.95	Set of 18 Cloths	A, 26	DR-300-1 1/2	20.00	0 to 300In.Lbs. P, 22 & A, 34		FW-035	.35	Feeler Blade (Ea.)	H, 14
CF-60-CS	11.50	Deglizr., 2"-5 1/4" Cap.	A, 26					FW-040	.35	Feeler Blade (Ea.)	H, 14
CF-61	10.90	Deglizr., 2"-5 1/4" Cap.	A, 26	E-12	1.49	3/8" Obstruc. Wr.	H, 8	F-25 3/8	31.00	0 to 25 Ft.Lbs. P, 22 & A, 34	
CF-61-12S	4.80	Medium Grit Stones	A, 26	E-14	1.59	7/16" Obstruc. Wr.	H, 8	F-25 1/2	31.00	0 to 25 Ft.Lbs. P, 22 & A, 34	
CF-61-14S	4.80	Fine Grit Stones	A, 26	E-16	1.75	1/2" Obstruc. Wr.	H, 8	F-25	19.85	Set of 5 Flex. Wr.	—
CF-62	12.60	Deglazing Hone	A, 26	E-18	1.95	9/16" Obstruc. Wr.	H, 8	F-25L	20.85	Set in Plastic Roll	H, 10
CF-62-12S	5.40	Medium Grit Stones	A, 26	E-20	2.10	5/8" Obstruc. Wr.	H, 8	F-25-L1	1.00	Plastic Roll Only	H, 10
CF-62-14S	5.40	Fine Grit Stones	A, 26	E-22	2.29	1 1/16" Obstruc. Wr.	H, 8	F-50 3/8	32.50	0 to 50 Ft.Lbs. P, 22 & A, 34	
CF-63	8.25	Brake Cylinder Hone	A, 29	E-24	2.59	3/4" Obstruc. Wr.	H, 8	F-50 1/2	32.50	0 to 50 Ft.Lbs. P, 22 & A, 34	
CF-63-1	1.90	Set of 3 Stones	A, 29	E-26	2.79	1 3/16" Obstruc. Wr.	H, 8	F-100	34.70	0 to 100Ft.Lbs.P, 22 & A, 34	
CF-63-14	1.90	Fine Grit Stones	A, 29	E-28	2.89	7/8" Obstruc. Wr.	H, 8	F-150	38.89	0 to 150Ft.Lbs.P, 22 & A, 34	
CF-63-F	8.25	Brake Hone	A, 29	E-30	2.99	1 1/4" Obstruc. Wr.	H, 8	F-189	51.10	1/2" Drive Socket Set	—
CF-71	4.35	Spark Plug Gp. Tool	A, 26	E-32	3.15	1" Obstruc. Wr.	H, 8	F-190	2.95	Metal Case	H, 6
CF-71-1	1.25	Gauging Plate Only	A, 26	E-34	3.65	1 1/16" Obstruc. Wr.	H, 8	F-192	2.75	Metal Case	—
CF-83	2.25	Aligning Tool Set	A, 26	E-36	4.29	1 1/8" Obstruc. Wr.	H, 8	F-200 1/2	60.00	0 to 200Ft.Lbs.P, 22 & A, 34	
CF-83-1	1.25	Spring Retriever	A, 26	E-40	4.75	1 1/4" Obstruc. Wr.	H, 8	F-200 3/4	60.00	0 to 200Ft.Lbs.P, 22 & A, 34	
CF-83-2	.50	Set of 3 Dowels	A, 26	E-44	5.20	1 3/8" Obstruc. Wr.	H, 8	F-300	76.39	0 to 300Ft.Lbs.P, 22 & A, 34	
CF-83-3	.50	Set of 3 Dowels	A, 26	E-810	1.11	1/4" x 5/16" O.E. Wr.	H, 8	F-300-1 3/8	31.00	0 to 300In.Lbs.P, 22 & A, 34	
CH-4	1.15	1/8" Bit Clutch Hd.	H, 12	E-1012	1.29	5/16" x 3/8" O.E. Wr.	H, 8	F-300-1 1/2	31.00	0 to 300In.Lbs.P, 22 & A, 34	
CH-5	1.20	5/32" Bit Clutch Hd.	H, 12	E-1214	1.42	3/8" x 7/16" O.E. Wr.	H, 8	F-600-1 3/8	32.50	0 to 600In.Lbs.P, 22 & A, 34	
CH-5L	7.75	Sc. Driver Set	H, 12	E-1416	1.47	7/16" x 1/2" O.E. Wr.	H, 8	F-600-1 1/2	32.50	0 to 600In.Lbs.P, 22 & A, 34	
CH-5-L1	.75	Plastic Roll Only	H, 12	E-1618	1.65	1/2" x 9/16" O.E. Wr.	H, 8	F-1200-I	34.70	0 to 1200In.Lbs.P, 22 & A, 34	
CH-6	1.30	3/16" Bit Clutch Hd.	H, 12	E-1619	1.65	1/2" x 1 1/32" O.E. Wr.	H, 8	F-1214	3.00	3/8" x 7/16" Flex. Wr.	H, 10
CH-8	1.50	1/4" Bit Clutch Hd.	H, 12	E-1820	1.89	9/16" x 5/8" O.E. Wr.	H, 8	F-1618	3.30	1/2" x 9/16" Flex. Wr.	H, 10
CH-9	1.50	5/32" Bit Screwdriver	—	E-2022	2.29	1 1/16" x 1 1/16" O.E. Wr.	H, 8	F-1800-I	38.89	0 to 1800In.Lbs.P, 22 & A, 34	
CH-10	1.85	5/16" Bit Clutch Hd.	H, 12	E-2024	2.29	5/8" x 3/4" O.E. Wr.	H, 8	F-1820	3.80	9/16" x 5/8" Flex. Wr.	H, 10
CP-8	.59	1/4" Center Punch	H, 13	E-2225	2.80	1 1/16" x 2 3/32" O.E. Wr.	H, 8	F-2022	4.15	3/8" x 1 1/16" Flex. Wr.	H, 10
				E-2426	2.80	3/4" x 1 3/16" O.E. Wr.	H, 8	F-2224	4.59	1 1/16" x 3/4" Flex. Wr.	H, 10
				E-2428	2.85	3/4" x 7/8" O.E. Wr.	H, 8	F-2400-1 1/2	60.00	0 to 2400In.Lbs.P, 22 & A, 34	
								F-2400-1 3/4	60.00	0 to 2400In.Lbs.P, 22 & A, 34	
								F-2628	5.16	1 3/16" x 7/8" Flex. Wr.	H, 10
								F-3032	6.00	1 5/16" x 1" Flex. Wr.	H, 10

*EO-32 thru EO-220	Prices on Application	Engineer's Wr.	P, 18
--------------------	-----------------------	----------------	-------



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
F-3600-I	76.39	0 to 3600 In. Lbs. P. 22 & A, 34		H-63	4.95	¼" Dr. Rev. Ratchet	H, 3	JD-84	7.50	Bushing Reamer	A, 17
†FB-001	.20	Feeler Blade (Ea.)	H, 14	H-63-R	2.35	Repair Kit	H, 3	JD-85	1.10	Upper Bushing Driver	A, 17
†FB-0015	.20	Feeler Blade (Ea.)	H, 14	H-70	.85	2" Ig. ¼" Dr. Ext.	H, 3	JD-86	1.00	Upper Bushing Driver	A, 17
†FB-002	.20	Feeler Blade (Ea.)	H, 14	H-71	1.35	6" Ig. ¼" Dr. Ext.	H, 3	JD-89	.60	Bowl Vent Baffle	
†FB-003	.20	Feeler Blade (Ea.)	H, 14	H-75	2.30	¼" Dr. Flex. Hdl.	H, 3			Inst. Tool	A, 17
†FB-004	.20	Feeler Blade (Ea.)	H, 14	H-78	1.15	¼" Dr. Spinner Hdl.	H, 3	JD-90-A	30.75	Carburetor Set	A, 17
†FB-005	.20	Feeler Blade (Ea.)	H, 14	H-160	9.90	½" Dr. Flex Ratchet	—	JD-91	4.95	Bushing Remover- Installer	A, 17
†FB-006	.20	Feeler Blade (Ea.)	H, 14	H-161	7.90	½" Dr. Std. Ratchet	—			Pilot Tube Instg. Tl.	A, 17
†FB-007	.20	Feeler Blade (Ea.)	H, 14	H-162	1.00	½" Dr. Ratchet Plug	—	JD-92	3.95	Bushing Reamer	A, 17
†FB-008	.20	Feeler Blade (Ea.)	H, 14	H-163-A	8.95	½" Dr. Rev. Ratchet	H, 3	JD-93	3.50	Carburetor Set	A, 17
†FB-009	.20	Feeler Blade (Ea.)	H, 14	H-163A-R	2.80	Repair Kit	H, 3	JD-94	18.99	Valve Guide Reamer	A, 17
†FB-010	.20	Feeler Blade (Ea.)	H, 14	H-163-B	9.90	15¼" Ratchet, ½" Dr.	H, 3	JD-95	4.90	Oil Seal Installer	A, 16
†FB-011	.20	Feeler Blade (Ea.)	H, 14	H-164	7.90	½" Dr. Ratchet Adapt.	H, 5	JD-96	27.50	Spanner Wrench	A, 16
†FB-012	.20	Feeler Blade (Ea.)	H, 14	H-170	1.60	1½" Ext., ½" Dr.	H, 3	JD-97	4.95	Bshg. & Oil Seal Dr.	A, 16
†FB-013	.20	Feeler Blade (Ea.)	H, 14	H-171	1.70	3" Ext., ½" Dr.	H, 3	JD-98	14.75	Flywheel Lk. Nut Wr.	A, 16
†FB-014	.20	Feeler Blade (Ea.)	H, 14	H-172	1.90	6" Ext., ½" Dr.	H, 3	JD-99	8.90	⅝" Head Bolt Wr.	—
†FB-015	.20	Feeler Blade (Ea.)	H, 14	H-173	2.40	10" Ext., ½" Dr.	H, 3	JD-128	3.95	⅝" Head Bolt Wr.	—
†FB-016	.20	Feeler Blade (Ea.)	H, 14	H-174	3.50	18" Ext., ½" Dr.	H, 3	JD-129	3.95	⅝" Head Bolt Wr.	—
†FB-017	.20	Feeler Blade (Ea.)	H, 14	H-176	5.90	15" Flex. Hdl. ½" Dr.	H, 3	JD-130	3.95	⅝" Head Bolt Wr.	—
†FB-018	.20	Feeler Blade (Ea.)	H, 14	H-177	6.10	18" Flex. Hdl. ½" Dr.	H, 3	JD-131	3.95	1" Head Bolt Wr.	—
†FB-019	.20	Feeler Blade (Ea.)	H, 14	H-181	2.95	15" Sliding Tee Hdl.	H, 3	JD-132	3.95	1¼" Head Bolt Wr.	—
†FB-020	.20	Feeler Blade (Ea.)	H, 14	H-183	3.95	15" Speed Hdl.	H, 3	JD-134	3.95	1¼" Head Bolt Wr.	—
†FB-021	.20	Feeler Blade (Ea.)	H, 14	H-184	4.45	18" Speed Hdl.	H, 3	JD-140	3.95	J.D. Model 70 Head Bolt Wr. 1½"	—
†FB-022	.20	Feeler Blade (Ea.)	H, 14	H-185	6.95	16" Flex Speed Handle ½" Dr.	—	JD-141	3.95	J.D. Model 70 Head Bolt Wr. 1½"	—
†FB-023	.20	Feeler Blade (Ea.)	H, 14					JD-142	3.95	Tubular Spanner Wr.	A, 16
†FB-024	.20	Feeler Blade (Ea.)	H, 14	H-187	2.95	10" Sliding Tee Hdl.	H, 3	JD-632	5.20	Clutch Align. Tool	A, 16
†FB-025	.20	Feeler Blade (Ea.)	H, 14	H-189	3.25	Univ. Joint ½" Dr.	H, 5	JD-633	5.95	Ring Compressor	A, 17
†FB-026	.20	Feeler Blade (Ea.)	H, 14	H-190	3.10	Metal Case	H, 6	JD-869-B	11.15	JD-869 Tongs (Only)	A, 17
†FB-027	.20	Feeler Blade (Ea.)	H, 14	H-260	6.95	Flex Ratchet ¾" Dr.	—	JD-869-C	4.50	Ring Comp. Band	A, 17
†FB-028	.20	Feeler Blade (Ea.)	H, 14	H-261	5.95	Jr. Ratchet, ¾" Dr.	—	JD-869-D	.95	Ring Comp. Band	A, 17
†FB-029	.20	Feeler Blade (Ea.)	H, 14	H-262	.80	¾" Dr. Ratchet Plug	—	JD-869-E	.95	Ring Comp. Band	A, 17
†FB-030	.20	Feeler Blade (Ea.)	H, 14	H-263-A	6.95	Rev. Ratchet ¾" Dr.	H, 3	JD-869-F	.95	Ring Comp. Band	A, 17
†FB-032	.20	Feeler Blade (Ea.)	H, 14	H-263A-R	2.55	Repair Kit	H, 3	JD-869-G	.95	Ring Comp. Band	A, 17
†FB-035	.20	Feeler Blade (Ea.)	H, 14	H-264	6.50	¾" Dr. Ratchet Adapt.	H, 5	JD-869-H	.95	Ring Comp. Band	A, 17
†FB-040	.20	Feeler Blade (Ea.)	H, 14	H-270	1.25	1½" Ext., ¾" Dr.	H, 3	JD-869-R	.95	Ring Comp. Band	A, 17
FF-12	1.95	12" Flat File	—	H-271	1.50	3" Ext., ¾" Dr.	H, 3	K-36	.95	6" Slip Jt. Plier	H, 11
FM-8	1.00	8" Mill File	—	H-272	1.75	6" Ext., ¾" Dr.	H, 3	KC-18	2.65	Hose Clamp Plier	H, 11
FR-10	1.25	10" Round File	—	H-273	1.95	10" Ext., ¾" Dr.	H, 3	L-5	10.10	Spark Plug Set	H, 5
FS-12	2.00	12" Square File	—	H-274	2.95	18" Ext., ¾" Dr.	H, 3	L-6	10.45	Set of 6 Sockets	H, 5
FT-8	.55	Flat Tip (Not Guar.)	—	H-275	3.95	¾" Dr. Jr. Flex. Hdl.	H, 3	L-116	1.65	½" Ex. Lg. Socket	H, 5
FT-12	.70	Flat Tip (Not Guar.)	—	H-276	1.85	¾" Dr. Spinner Hdl.	H, 3	L-118	1.65	¾" Ex. Lg. Socket	H, 5
FT-24	.90	Flat Tip (Not Guar.)	—	H-277	1.75	#2 Phillips Attach.	H, 5	L-120	1.65	¾" Ex. Lg. Socket	H, 5
FT-52	1.70	Valve Guide Driver	A, 20	H-278	1.75	#3 Phillips Attach.	H, 5	L-122	1.65	1¼" Ex. Lg. Socket	H, 5
FT-53	.75	Valve Guide Rep. Ga.	A, 20	H-279	1.75	#4 Phillips Attach.	H, 5	L-124	1.65	¾" Ex. Lg. Socket	H, 5
FT-54	.75	Valve Guide Rep. Ga.	A, 20	H-280	1.95	Sc. Dr. Attach. ¾" Dr.	H, 5	L-126	1.75	1¼" Spark Plug Skt.	H, 5
FT-350	1.80	Collar	A, 20	H-281	1.95	Sc. Dr. Attach. ¾" Dr.	H, 5	L-128	1.85	¾" Spark Plug Skt.	H, 5
FT-351	1.80	Collar	A, 20	H-282	2.90	18" Speed Hdl. ¾" Dr.	H, 3	L-130	2.10	1¼" Spark Plug Skt.	H, 5
FT-352	7.00	Clutch Finger Gauge	A, 20	H-283	2.65	15" Speed Hdl. ¾" Dr.	H, 3	L-132	2.15	1" Spark Plug Socket	H, 5
FT-353	3.00	Spindle Bush. Adpt.	A, 20	H-284	3.10	30" Speed Hdl. ¾" Dr.	H, 3	L-134	2.20	1¼" Ex. Lg. Skt.	H, 5
FT-354	1.20	Gauge	A, 20	H-287	2.30	Jr. Sliding Tee	H, 3	L-136	2.25	1¼" Spark Plug Skt.	H, 5
FT-355	5.25	Clutch Align. Tool	A, 20	H-289	2.90	Jr. Univ. Jt. ¾" Dr.	H, 5	L-212	1.00	¾" Deep Socket	H, 5
FT-356	4.00	Oil Seal Replacer	A, 20	H-290	2.75	Metal Box	H, 6	L-214	1.00	¾" Deep Socket	H, 5
FT-357	4.00	Oil Seal Replacer	A, 20	H-300-R	78.55	Repair Kit Assem.	H, 3	L-216	1.00	½" Deep Socket	H, 5
FT-358	3.00	Spanner Wrench	A, 20	H-361	14.75	H.D. Ratchet ¾" Dr.	—	L-218	1.05	¾" Deep Socket	H, 5
FT-359	1.75	Gauge	A, 20	H-362	1.75	¾" Dr. Ratchet Plug	—	L-220	1.10	¾" Deep Socket	H, 5
FT-360	3.00	Oil Seal Protector	—	H-363-A	19.95	¾" Dr. Rev. Ratchet	H, 3	L-222	1.15	1¼" Deep Socket	H, 5
FT-361	4.00	Oil Seal Protector	—	H-363A-R	5.55	Repair Kit	H, 3	L-224	1.35	¾" Deep Socket	H, 5
FT-362	3.00	Oil Seal Protector	—	H-364	24.75	¾" Dr. Ratchet Adapt.	H, 5	L-226	1.45	1¼" Deep Socket	H, 5
FT-363	7.95	Spanner Wrench	A, 20	H-371	3.10	4½" Ext., ¾" Dr.	H, 3	L-332	3.70	1" Extra Lg. Skt.	H, 5
FT-365	7.50	Spanner Wrench	A, 20	H-373	3.95	10" Ext., ¾" Dr.	H, 3	L-334	3.95	1¼" Extra Lg. Skt.	H, 5
FT-366	2.00	Clutch Finger Gauge	A, 20	H-374	4.95	18" Ext., ¾" Dr.	H, 3	L-336	4.15	1½" Extra Lg. Skt.	H, 5
FT-380	4.20	Special Ford Legs for Push-Puller (Pr.)	—	H-377	9.50	20" Flex. Hdl.	H, 3	L-346	6.25	1¼" Extra Lg. Skt.	H, 5
				H-387	5.95	Sliding Tee Hdl.	H, 3	L-2746-N	3.95	Cotton Picker Skt. (Not Guar.)	A, 20
FT-485	11.50	Bearing Pulling At.	A, 20	H-391	4.25	Metal Case	—			Pinion Pulling Attach.	A, 12
FT-485B	5.50	Holding Yoke	A, 20	H-396	7.10	Metal Case	H, 6	LW-1	19.90	Clutch Hub Plg. Slv.	A, 12
FT-485C	5.50	Yoke	A, 20	H-397	3.95	Metal Case	—	LW-2	19.90	Clutch Hub Plg. Adp.	A, 12
FT-499	9.90	Snap. Roll Brg. Plr.	A, 15	HC-80	3.95	Int'l. Carb. Jet Tool	A, 15	LW-3	11.90	Clutch Hub Inst. Adp.	A, 12
FT-943	9.45	Spec. Jaws (Pr.)	—	HC-628	3.10	Int'l Pump Hub Puller	—	LW-4	6.90	2¾" Hex. Skt. Wr.	A, 13
G-16	256.10	1" Dr. Socket Set	H, 6	HC-642	12.55	Pitman Arm Puller	A, 23	LW-6	24.50	¾" Dr. Hldg. Plate	A, 13
G-48	5.25	1½" Socket, 1" Dr.	—	HC-686	14.50	Int. Ring Compressor	A, 11	LW-7	4.95	Sprag Clutch Asm. Sl.	A, 13
G-52	5.50	1¾" Socket, 1" Dr.	—	HC-689	29.90	Int. Injec. Nox. Plr.	A, 11	LW-8	8.95	Spanner Wrench	A, 13
G-54	5.80	1¼" Socket, 1" Dr.	—	HD-381	97.30	H.D. Skt. Set ¾" Dr.	—	LW-9	9.90	Spanner Wrench	A, 13
G-58	6.85	1¼" Socket, 1" Dr.	—	HD-385	149.95	H.D. Socket Set	H, 6	LW-10	12.90	Chain Connecting Tl.	A, 13
G-60	7.95	1¾" Socket, 1" Dr.	—	HD-388	146.05	H.D. Skt. Set ¾" Dr.	—	LW-12	9.50	Spanner Wrench	A, 12
G-64	8.65	2" Skt., 1" Dr.	H, 5	HP-7	9.25	Hollow Punch Set	A, 35	LW-13	24.50	Yoke	A, 12
G-68	9.45	2¼" Skt., 1" Dr.	H, 5	HP-8	.70	¼" Hollow Punch	A, 35	LW-14	9.50	Threaded Adapter	A, 12
G-70	10.00	2¾" Skt., 1" Dr.	H, 5	HP-10	.75	½" Hollow Punch	A, 35	LW-15	17.00	Pushing Tube	A, 12
G-72	11.30	2½" Skt., 1" Dr.	H, 5	HP-12	.80	¾" Hollow Punch	A, 35	M-8	.60	¼" Midget Socket	H, 5
G-73	7.90	8" Extension	H, 3	HP-14	.85	¾" Hollow Punch	A, 35	M-9	.60	½" Midget Socket	H, 5
G-74	10.50	16" Extension	H, 3	HP-16	.90	½" Hollow Punch	A, 35	M-10	.60	¾" Midget Socket	H, 5
G-76	13.90	2¾" Skt., 1" Dr.	H, 5	HP-18	.95	¾" Hollow Punch	A, 35	M-11	.60	1½" Midget Socket	H, 5
G-80	17.90	2½" Skt., 1" Dr.	H, 5	HP-20	1.00	¾" Hollow Punch	A, 35	M-12	.60	¾" Midget Socket	H, 5
G-84	22.50	2¾" Skt., 1" Dr.	H, 5	JD-4	9.90	6 Pt. Hex. Socket	A, 17	M-14	.60	¾" Midget Socket	H, 5
G-87	10.90	Tee Handle 10"	H, 3	JD-5	3.00	Carb. Adj. Tool	A, 17				
G-88	24.70	2¾" Skt., 1" Dr.	H, 5	JD-7	3.95	Gauge	—				
G-90	12.50	Metal Case	H, 6	JD-80	3.95	Jet Remover	A, 17				
G-94	29.95	2¼" Skt., 1" Dr.	H, 5	JD-81	3.95	Throttle Bush. Rmvr.	A, 17				
G-96	32.55	3" Skt., 1" Dr.	H, 5	JD-82	1.95	Float Bending Tool	A, 17				
G-100	36.75	3½" Skt., 1" Dr.	H, 5	JD-83	7.50	Bushing Reamer	A, 17				



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
M-16	.60	1/2" Midget Socket	H, 5	MF-4	4.95	Spanner Wrench	—	MS-44-A	7.30	1 3/8" Bx. Wr. Adpt.	P, 22 & A, 34
M-28	4.50	Tube Hdl., 24" P, 19 & A, 31 & H, 9	—	MF-5	7.50	Adjusting Weight	—	MS-46	6.45	1 7/8" Str. Bx. Wr.	P, 19 & H, 9
M-28-18	11.80	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-6	8.50	Spanner Wrench	—	MS-46-A	7.45	1 7/8" Bx. Wr. Adpt.	P, 22 & A, 34
M-28-24	12.80	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-7	1.00	Gauge	—	MS-48	6.75	1 1/2" Str. Bx. Wr.	P, 19 & H, 9
M-28-30	13.80	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-8	1.90	Retainer	—	MS-48-B	3.95	3/4" Male Plug	P, 22
M-28-60	24.40	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-9	5.90	Spanner Wrench	—	MS-48-10	4.95	1" Male Plug	P, 22
M-32	6.90	Tube. Hdl., 30" P, 19 & H, 9	—	MF-10	7.95	Spanner Wrench	—	MS-48-A	7.75	1 1/2" Bx. Wr. Adpt.	P, 22 & A, 34
M-32-24	18.80	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-11	5.50	Oil Seal Tool	—	MS-48-A6	11.70	3/4" M. Sq. Dr. Adap.	—
M-32-30	21.80	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-12	5.90	Needle Bearing Inst.	—	MS-48-A10	12.70	1" M Sq. Dr. Adap.	—
M-32-60	33.40	Adpt. Arm Ass'y P, 22 & A, 34	—	MF-13	2.95	Needle Bearing Inst.	—	MS-52	7.75	1 3/8" Str. Bx. Wr.	P, 19 & H, 9
M-36	11.75	Tube. Hdl., 36" P, 19 & H, 9	—	MF-14	3.50	Valve Guide Dr. & Ga.	—	MS-52-B	8.75	1 3/8" Bx. Wr. Adpt.	P, 22 & A, 34
M-42	19.85	Tube. Hdl., 42" P, 19 & H, 9	—	MF-15	4.40	Needle Bearing Inst.	—	MS-54	8.50	1 1/4" Str. Bx. Wr.	P, 19 & H, 9
M-81	11.95	Midg. Skt. Set 1/4" Dr.	—	MF-16	1.95	Needle Bearing Inst.	—	MS-54-B	9.50	1 1/4" Bx. Wr. Adpt.	P, 22 & A, 34
M-81-A	16.90	Midget Socket Set	H, 6	MF-17	1.95	Bushing Driver Collar	—	MS-56	8.90	1 3/4" Str. Bx. Wr.	P, 19 & H, 9
M-90	1.65	Metal Box	H, 6	MF-18	3.95	Needle Bearing Inst.	—	MS-56-B	9.90	1 3/4" Bx. Wr. Adpt.	P, 22 & A, 34
M-91	.60	Metal Tray	H, 5	MF-19	2.50	Bushing Driver Collar	—	MS-58	9.00	1 3/4" Str. Bx. Wr.	P, 19 & H, 9
M-602-T	.95	Mandrel	A, 18	MF-20	2.75	Needle Bearing Inst.	—	MS-58-B	10.00	1 3/4" Bx. Wr. Adpt.	P, 22 & A, 34
M-603-T	.85	Mandrel	A, 18	MF-21	1.90	Pr. Steering Adj. Ga.	—	MS-60	10.00	1 7/8" Str. Bx. Wr.	P, 19 & H, 9
M-604-T	.75	Mandrel	A, 18	MF-22	1.95	Needle Bearing Inst.	—	MS-60-B	11.00	1 7/8" Bx. Wr. Adpt.	P, 22 & A, 34
M-605-T	.50	Mandrel	A, 18	MF-23	3.95	Needle Bearing Inst.	—	MS-64	10.50	2" Str. Box Wr.	P, 19 & H, 9
M-606-T	.95	Oil Seal Mandrel	A, 18	MF-24	6.90	Needle Bearing Inst.	—	MS-64-B	11.50	2" Bx. Wr. Adpt.	P, 22 & A, 34
M-607-T	.85	Oil Seal Mandrel	A, 18	MF-25	4.40	Needle Bearing Inst.	—	MS-70	11.00	2 3/16" Str. Bx. Wr.	P, 19 & H, 9
M-611-T	.50	Clutch Bushing Dr.	A, 18	MF-26	3.50	Bushing Driver Collar	—	MS-70-B	12.90	2 3/16" Bx. Wr. Adpt.	P, 22 & A, 34
M-614-T	.65	Needle Bearing Dr.	A, 18	MF-400	115.70	Mass.-Ferg. Serv. Set	—	MS-72	12.00	2 1/4" Str. Bx. Wr.	P, 19 & H, 9
M-615-T	.75	Needle Bearing Dr.	A, 18	MF-400-B	2.00	Service Board	—	MS-72-10	8.95	1" Sq. Dr. Plug	P, 22
M-616-T	.65	Needle Bearing Dr.	A, 19	MH-670	10.00	Diff. Bearing Rmvr.	A, 20	MS-72-12	12.00	1 1/2" Sq. Dr. Plug	P, 22
M-617-T	.85	Piston Pin Bshg. Dr.	A, 19	MH-671	10.00	Drive Sft. Brg. Hldr.	A, 20	MS-72-B	13.90	2 1/4" Bx. Wr. Adpt.	P, 22 & A, 34
M-618-T	.50	Brake Bushing Dr.	A, 19	ML-8	1.05	1/4" Skt., 1/4" Dr.	H, 5	MS-72-B10	22.85	1" M Sq. Dr. Adap.	—
M-620-T	.75	Bushing Driver	A, 19	ML-9	1.05	3/32" Skt., 1/4" Dr.	H, 5	MS-72-B12	25.90	1 1/2" M Sq. Dr. Adap.	—
M-621-T	1.50	Power Sft. Bshg. Dr.	A, 19	ML-10	1.05	3/16" Skt., 1/4" Dr.	H, 5	MS-76	16.95	2 3/8" Str. Bx. Wr.	P, 19 & H, 9
M-623-T	2.00	Bearing Cup Driver	A, 19	ML-11	1.05	1/32" Skt., 1/4" Dr.	H, 5	MS-82	18.90	2 1/8" Str. Bx. Wr.	P, 19 & H, 9
M-626-T	.65	Mandrel	A, 19	ML-12	1.05	3/8" Skt., 1/4" Dr.	H, 5	MS-84	19.95	2 3/8" Str. Bx. Wr.	P, 19 & H, 9
M-650-T	1.25	Mandrel	A, 19	ML-14	1.05	7/16" Skt., 1/4" Dr.	H, 5	MS-88	21.00	2 3/4" Str. Bx. Wr.	P, 19 & H, 9
M-651-T	1.00	Oil Seal Mandrel	A, 19	ML-15	7.95	Midget Socket Set	H, 5	MS-90	23.50	2 1/8" Str. Bx. Wr.	P, 19 & H, 9
M-657-T	.90	Oil Seal Mandrel	A, 19	ML-16	1.05	1/2" Skt., 1/4" Dr.	H, 5	MS-94	26.50	2 1/8" Str. Bx. Wr.	P, 19 & H, 9
M-738-T	2.25	Oil Seal Mandrel	A, 19	MO-24	4.90	3/4" Dbl. Offset Wr.	H, 9 & P, 19	MS-96	28.50	3" Str. Bx. Wr.	P, 19 & H, 9
M-739-T	.95	Bushing Driver	A, 19	MO-28	4.90	1/2" Dbl. Offset Wr.	H, 9 & P, 19	MS-100	29.90	3 3/8" Str. Bx. Wr.	P, 19 & H, 9
M-743-T	.30	Replacement Blade	A, 19	MO-30	4.90	1 1/8" Dbl. Offset Wr.	H, 9 & P, 19	MS-108	32.50	3 3/8" Str. Bx. Wr.	P, 19 & H, 9
M-790-T	1.50	Hdle. for 3/8" Pilot	A, 19	MO-32	4.90	1" Dbl. Offset Wr.	H, 9 & P, 19	MS-112	37.50	3 1/2" Str. Bx. Wr.	P, 19 & H, 9
M-791-T	2.00	Hdle. for 3/8" Pilot	A, 19	MO-34	5.50	1 1/8" Dbl. Offset Wr.	H, 9 & P, 19	MT-8	7.95	Impulse Cplg. Puller	A, 32
M-792-T	1.85	Metal Box	A, 19	MO-36	5.90	1 1/8" Dbl. Offset Wr.	H, 9 & P, 19	MT-50	2.95	Impulse Cplg. Puller	A, 11
M-1014	1.95	Thd. Chaser (Not Guar.) A, 26	—	MO-40	5.90	1 1/4" Dbl. Offset Wr.	H, 9 & P, 19	O-10-L	19.90	Tappet Wr. Set	H, 8
M-1550-T	9.75	Adapter Rings	A, 19	MO-42	6.90	1 3/8" Dbl. Offset Wr.	H, 9 & P, 19	O-10-L1	1.00	Plastic Roll Only	H, 8
M-1828	1.95	Thd. Chaser (Not Guar.) A, 26	—	MO-44	7.25	1 3/8" Dbl. Offset Wr.	H, 9 & P, 19	O-1416	2.15	7/16" x 1/2" Tappet Wr.	H, 8
M-2271-T	2.25	Oil Seal Driver	A, 19	MO-46	7.45	1 7/8" Dbl. Offset Wr.	H, 9 & P, 19	O-1417	2.15	7/16" x 1/32" Tappet Wr.	H, 8
M-2272-T	1.25	Needle Bearing Dr.	A, 19	MO-48	7.75	1 1/2" Dbl. Offset Wr.	H, 9 & P, 19	O-1618	2.30	1/2" x 7/16" Tappet Wr.	H, 8
M-2273-T	1.25	Needle Bearing Dr.	A, 19	MO-52	8.75	1 3/8" Dbl. Offset Wr.	H, 9 & P, 19	O-2022	2.30	5/8" x 1 1/16" Tappet Wr.	H, 8
M-2274-T	2.85	Driver	A, 19	MO-54	8.95	1 1/4" Dbl. Offset Wr.	H, 9 & P, 19	O-2428	2.70	3/4" x 7/8" Tappet Wr.	H, 8
M-2275-T	.65	Ring Seal Sleeve	A, 19	MO-56	9.90	1 3/4" Dbl. Offset Wr.	H, 9 & P, 19	OA-24	36.50	Adjustable Wr.	P, 21 & H, 15
M-2276-T	2.75	Fan Adjusting Wr.	A, 19	MO-58	10.00	1 1/8" Dbl. Offset Wr.	H, 9 & P, 19	OA-24-B	46.40	Adjustable Wr.	P, 21 & H, 15
M-2531-T	15.75	Belt Pulley Set Ga.	A, 19	MO-60	11.00	1 7/8" Dbl. Offset Wr.	H, 9 & P, 19	OA-36	67.75	Adjustable Wr. P, 21 & H, 1 & A, 9	—
M-2660-T	3.25	Bushing Removal Dr.	A, 19	MO-64	11.50	2" Dbl. Offset Wr.	H, 9 & P, 19	P-61	19.75	Rev. Ratchet P, 19; H, 3 & A, 31	—
M-2661-T	3.00	Bushing Install. Dr.	A, 19	MO-70	12.00	2 3/16" Dbl. Offset Wr.	H, 9 & P, 19	P-61-6	3.95	Ratchet Adpt.	P, 19 & H, 3
M-4406-T	6.50	Brg. Carrier Slv. Dr.	A, 19	MO-72	13.00	2 1/4" Dbl. Offset Wr.	H, 9 & P, 19	P-61-6A	3.95	3/4" Sq. Dr. Plug P, 22 & A, 34	—
MA-24	4.75	3/4"-15° Box Wr. P, 19 & H, 9	—	MO-76	17.85	2 3/8" Dbl. Offset Wr.	H, 9 & P, 19	P-61-10	4.95	Ratchet Adpt.	P, 19 & H, 3
MA-28	4.75	7/8"-15° Box Wr. P, 19 & H, 9	—	MO-82	21.00	2 3/4" Dbl. Offset Wr.	H, 9 & P, 19	P-61-10A	4.95	1" Sq. Dr. Plug P, 22 & A, 34	—
MA-30	4.75	1 1/8"-15° Box Wr. P, 19 & H, 9	—	MO-84	22.50	2 3/8" Dbl. Offset Wr.	H, 9 & P, 19	P-61-A	19.75	Rev. Ratchet P, 22 & A, 34	—
MA-32	4.75	1"-15° Box Wr. P, 19 & H, 9	—	MO-88	23.75	2 3/4" Dbl. Offset Wr.	H, 9 & P, 19	P-61-A10	23.70	3/4" Sq. Dr. Adap. & Ratchet—	—
MA-34	4.75	1 1/16"-15° Bx. Wr. P, 19 & H, 9	—	MO-90	24.95	2 1/8" Dbl. Offset Wr.	H, 9 & P, 19	PA-20	209.25	1" Sq. Dr. Adap. & Ratchet—	—
MA-36	5.65	1 1/8"-15° Bx. Wr. P, 19 & H, 9	—	MO-94	25.50	2 1/8" Dbl. Offset Wr.	H, 9 & P, 19	PA-22	253.75	Automotive Serv. Set	—
MA-40	5.80	1 1/4"-15° Bx. Wr. P, 19 & H, 9	—	MO-96	26.75	3" Dbl. Offset Wr.	H, 9 & P, 19	PA-22	253.75	Auto. Puller Set	A, 21
MA-42	6.40	1 3/16"-15° Bx. Wr. P, 19 & H, 9	—	MO-100	32.00	3 3/8" Dbl. Offset Wr.	H, 9 & P, 19	PB-18	3.25	18" Jimmy Bar	H, 13 & P, 20
MA-44	6.95	1 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MO-108	34.50	3 3/8" Dbl. Offset Wr.	H, 9 & P, 19	PB-24	4.25	24" Jimmy Bar	H, 13 & P, 20
MA-46	7.25	1 7/16"-15° Bx. Wr. P, 19 & H, 9	—	MO-112	39.90	3 1/2" Dbl. Offset Wr.	H, 9 & P, 19	PB-30	6.50	30" Jimmy Bar	H, 13 & P, 20
MA-48	7.50	1 1/2"-15° Bx. Wr. P, 19 & H, 9	—	MP-2	.69	1/16" Pin Punch	H, 13	PB-43	3.25	15" Pry Bar	H, 13 & P, 20
MA-52	8.00	1 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MP-3	.69	3/32" Pin Punch	H, 13	PB-45	4.25	18" Pry Bar	H, 13 & P, 20
MA-54	8.50	1 1/4"-15° Bx. Wr. P, 19 & H, 9	—	MP-4	.69	1/8" Pin Punch	H, 13	PC-25	16.05	Punch & Chisel Set	H, 13
MA-56	9.00	1 3/4"-15° Bx. Wr. P, 19 & H, 9	—	MP-5	.69	1/2" Starter Punch	H, 13	PC-25-L	17.40	Set in Plastic Roll	H, 13
MA-58	9.50	1 1/8"-15° Bx. Wr. P, 19 & H, 9	—	MPC-25-L	8.60	Set in Plastic Roll	H, 13	PC-25-L1	1.35	Plastic Roll Only	H, 13
MA-60	10.50	1 7/8"-15° Bx. Wr. P, 19 & H, 9	—	MPC-25-L1	1.00	Plastic Roll Only	H, 13	PH-1	1.15	#1 Bit 6 1/2" Phil.	H, 12
MA-64	11.00	2"-15° Bx. Wr. P, 19 & H, 9	—	MS-24	4.50	3/4" Str. Box Wr.	P, 19 & H, 9	PH-1S	1.15	#1 Bit Stubby Phil.	H, 12
MA-70	11.50	2 3/16"-15° Bx. Wr. P, 19 & H, 9	—	MS-24-A	5.50	3/4" Bx. Wr. Adpt.	P, 22 & A, 20	PH-2	1.35	#2 Bit 8 1/2" Phil.	H, 12
MA-72	12.50	2 1/4"-15° Bx. Wr. P, 19 & H, 9	—	MS-24-AS	5.90	3/4" F Sq. Dr. Adap. Hdl.	—	PH-2S	1.25	#2 Bit Stubby Phil.	H, 12
MA-76	17.50	2 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-24-AT	5.90	1/2" F Sq. Dr. Adap. Hdl.	—	PH-3	1.65	#3 Bit 10" Phil.	H, 12
MA-82	19.50	2 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-28	4.50	7/8" Str. Bx. Wr.	P, 19 & H, 9	PH-4	2.05	#4 Bit 13" Phil.	H, 12
MA-84	21.00	2 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-28-A	5.50	7/8" Bx. Wr. Adpt.	P, 22 & A, 34	PH-5L	7.55	Set in Plastic Roll	H, 12
MA-88	22.50	2 3/4"-15° Bx. Wr. P, 19 & H, 9	—	MS-30	4.50	1 1/8" Str. Bx. Wr.	P, 19 & H, 9	PH-5-L1	1.00	Plastic Roll Only	H, 12
MA-90	23.75	2 1/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-30-A	5.50	1 1/8" Bx. Wr. Adpt.	P, 22 & A, 34	PP-6	1.10	3/16" Pin Punch	H, 13
MA-94	24.75	2 1/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-32	4.50	1" Str. Box Wr.	P, 19 & H, 9	PP-8	1.10	1/4" Pin Punch	H, 13
MA-96	25.50	3"-15° Bx. Wr. P, 19 & H, 9	—	MS-32-A	5.50	1" Bx. Wr. Adpt.	P, 22 & A, 34	PP-10	1.10	5/16" Pin Punch	H, 13
MA-100	31.00	3 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-34	4.50	1 1/8" Str. Bx. Wr.	P, 19 & H, 9	PS-114	.95	7/16" Impact Skt.	H, 5
MA-108	32.50	3 3/8"-15° Bx. Wr. P, 19 & H, 9	—	MS-34-A	5.50	1 1/8" Bx. Wr. Adpt.	P, 22 & A, 34	PS-116	.95	1/2" Impact Skt.	H, 5
MA-112	36.50	3 1/2"-15° Bx. Wr. P, 19 & H, 9	—	MS-36	5.25	1 1/8" Str. Bx. Wr.	P, 19 & H, 9	PS-118	.95	5/16" Impact Skt.	H, 5
MD-955	13.80	Pilot Bearing Puller	A, 32	MS-36-A	6.25	1 1/8" Bx. Wr. Adpt.	P, 22 & A, 34	PS-120	1.00	5/8" Impact Skt.	H, 5
MD-956	13.80	Pilot Bearing Puller	A, 32	MS-40	5.50	1 1/4" Str. Bx. Wr.	P, 19 & H, 9	PS-122	1.10	1 1/8" Impact Skt.	H, 5
MF-1	5.95	Puller	—	MS-40-A	6.50	1 1/4" Bx. Wr. Adpt.	P, 22 & A, 34	PS-124	1.10	3/4" Impact Skt.	H, 5
MF-2	2.95	Needle Bearing Inst.	—	MS-42	5.90	1 3/8" Str. Bx. Wr.	P, 19 & H, 9	PS-126	1.15	1 3/16" Impact Skt.	H, 5
MF-3	4.75	Adj. Spanner Wrench	—								



Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
PS-132	1.45	1" Impact Socket	H, 5	SF-181	34.20	Socket Set 1/2" Dr.	H, 6	TP-28	4.75	3/8" Taper Punch	H, 13
PS-134	1.75	1 1/4" Impact Skt.	H, 5	SF-184	51.10	Std. Socket Set	H, 6	TP-32	7.95	1" Taper Punch	H, 13
PS-136	1.80	Impact Skt. (No Guar)	—	SF-240	25.30	Jr. Socket Set	H, 6	U-212	3.10	3/8" Univ. Skt.	H, 5
PS-140	1.95	Impact Skt. (NoGuar)	—	SF-242	47.00	Jr. Socket Set	H, 6	U-214	3.10	7/16" Univ. Skt.	H, 5
PT-8	2.05	8 Oz. Soft Face Hammer	—	SF-280	32.55	Socket Set 3/8" Dr.	—	U-216	3.10	1/2" Univ. Skt.	H, 5
PT-12	2.90	12 Oz. Soft Face Hammer	—	SP-6	1.10	3/4" Starter Punch	H, 13	U-218	3.10	5/16" Univ. Skt.	H, 5
PT-16	3.10	16 Oz. Soft Face Hammer	—	SP-8	1.10	1/4" Starter Punch	H, 13	U-220	3.10	3/8" Univ. Skt.	H, 5
PT-24	3.70	24 Oz. Soft Face Hammer	—	SP-10	1.10	5/16" Starter Punch	H, 13	U-222	3.10	1 1/16" Univ. Skt.	H, 5
PT-32	4.15	32 Oz. Soft Face Hammer	—	SPT	33.33	Spring Tester P, 22 & A, 34	—	U-224	3.10	3/4" Univ. Skt.	H, 5
PW-6	2.90	6" Pipe Wrench	—	SS-4-L	4.70	Set in Plastic Roll	H, 12	V-8	24.75	Hyd. Con. Valve	P, 14
PW-8	3.40	8" Pipe Wrench	—	SS-4-L1	.75	Plastic Roll	H, 12	V-38	29.90	Hyd. Con. Valve	P, 14
PW-10	4.45	10" Pipe Wrench	—	SS-6	.80	4" Offset Sc. Driver	H, 12	V68-1V	150.00	Hyd. Con. Valve	P, 14
PW-12	5.20	12" Pipe Wrench	—	SS-8	.90	4 1/2" Offset Sc. Driver	H, 12	V68-1W	250.00	Hyd. Con. Valve	P, 14
PW-14	6.25	14" Pipe Wrench	—	SS-10	1.10	5 1/2" Offset Sc. Driver	H, 12	W-1	.10	1/16" Set Screw Wr.	H, 10
PW-18	8.95	18" Pipe Wrench	—	SS-12	1.15	6 1/2" Offset Sc. Driver	H, 12	W-2	.10	3/64" Set Screw Wr.	H, 10
PW-24	13.60	24" Pipe Wrench	—	SS-41	.85	9" Lg. Screwdriver	H, 12	W-3	.10	3/32" Set Screw Wr.	H, 10
PW-36	28.25	36" Pipe Wrench	—	SS-42	.80	7" Lg. Screwdriver	H, 12	W-4	.10	1/8" Set Screw Wr.	H, 10
PW-48	41.95	48" Pipe Wrench	—	SS-61	1.10	11 1/4" Lg. Screwdriver	H, 12	W-5	.15	3/32" Set Screw Wr.	H, 10
R-50 3/8	13.89	0 to 50 Ft. Lbs. P, 22 & A, 34	—	SS-62	1.05	9 1/2" Lg. Screwdriver	H, 12	W-6	.15	3/16" Set Screw Wr. H, 10 & A, 23	—
R-50 1/2	13.89	0 to 50 Ft. Lbs. P, 22 & A, 34	—	SS-63	1.00	7 1/2" Lg. Screwdriver	H, 12	W-7	.20	7/32" Set Screw Wr. H, 10 & A, 23	—
R-100	14.72	0 to 100 Ft. Lbs. P, 22 & A, 34	—	SS-64	.95	6 1/2" Lg. Screwdriver	H, 12	W-8	.25	1/4" Set Screw Wr. H, 10 & A, 23	—
R-150	18.61	0 to 150 Ft. Lbs. P, 22 & A, 34	—	SS-81	1.35	13 1/4" Lg. Screwdriver	H, 12	W-10	.35	3/16" Set Screw Wr.	H, 10
R-200	20.00	0 to 200 Ft. Lbs. P, 22 & A, 34	—	SS-82	1.30	11 3/4" Lg. Screwdriver	H, 12	W-10S	.45	Set Sc. Wr. (Not Guar.)	A, 23
R-600-1 3/8	13.89	0 to 600 In. Lbs. P, 22 & A, 34	—	SS-83	1.25	9 1/2" Lg. Screwdriver	H, 12	W-12	.60	3/8" Set Screw Wr.	H, 10
R-600-1 1/2	13.89	0 to 600 In. Lbs. P, 22 & A, 34	—	SS-84	1.20	7 1/2" Lg. Screwdriver	H, 12	W-13-A	.85	7/16" Set Screw Wr.	H, 10
R-1200-I	14.72	0 to 1200 In. Lbs. P, 22 & A, 34	—	SS-101	1.75	12 1/4" Lg. Screwdriver	H, 12	W-14	2.10	Set of 10 Set Screw Wrenches (No Guar)	—
R-1800-I	18.61	0 to 1800 In. Lbs. P, 22 & A, 34	—	SS-102	1.65	10" Lg. Screwdriver	H, 12	W-14-L	2.75	Set Screw Wr. Set	H, 10
R-2400-I	20.00	0 to 2400 In. Lbs. P, 22 & A, 34	—	SS-103	1.50	8" Lg. Screwdriver	H, 12	W-14-L1	.65	Plastic Roll Only	H, 10
RB-5-L	19.05	Set in Plastic Roll	H, 10	SS-121	3.10	21 1/2" Lg. Screwdriver	H, 12	W-16	1.10	1/2" Set Screw Wr.	H, 10
RB-5-L1	1.00	Plastic Roll Only	H, 10	SS-122	2.90	17 3/4" Lg. Screwdriver	H, 12	W-18	1.85	3/16" Set Screw Wr.	H, 10
RB-810	2.45	Ratchet Box Wr.	H, 10	SS-123	2.65	17" Lg. Screwdriver	H, 12	W-20	2.50	3/8" Set Screw Wr.	H, 10
RB-1214	2.95	Ratchet Box Wr.	H, 10	SS-124	2.35	12 1/2" Lg. Screwdriver	H, 12	W-24	2.95	3/4" Set Screw Wr.	H, 10
RB-1618	3.75	Ratchet Box Wr.	H, 10					W-32	5.50	1" Set Screw Wr.	H, 10
RB-2022	4.15	Ratchet Box Wr.	H, 10					XC-10	1.00	5/16" Cape Chisel	H, 13
RB-2024	4.15	Ratchet Box Wr.	H, 10					XC-16	1.60	1/2" Cape Chisel	H, 13
RB-2226	4.45	Ratchet Box Wrench	—					Y-1	41.25	15,000 PSI Ga.	P, 14
RB-2428	4.75	Ratchet Box Wr.	H, 10					Y1-A	37.50	15,000 PSI Ga.	P, 14
RN-16	1.75	1/2" Rd. Nose Chisel	H, 13					Y1-B	3.75	Tee Connection	P, 14
RS-8S	.85	Stubby Screwdriver	H, 12					Y1-C	4.95	Dbl. Tee Adpt.	P, 14
RS-12S	.95	Stubby Screwdriver	H, 12					Y1-D	4.95	"Y" Connector	P, 14
RS-31	.40	3" Lg. Screwdriver	H, 12	T-50	282.95	Univ. Truck Set	—	Y1-E	2.95	45" Fitting	P, 14
RS-41	.80	8 3/4" Lg. Screwdriver	H, 12	T-806	1.70	Bushing Driver Collar	A, 35	Y1-F	2.95	Hydra. Union	P, 14
RS-42	.85	7" Lg. Screwdriver	H, 12	T-807	1.70	Bushing Driver Collar	A, 35	Y2	41.25	Hi-Pressure Ga.	P, 14
RS-43	.55	4 1/2" Lg. Screwdriver	H, 12	T-808	1.70	Bushing Driver Collar	A, 35	Y2-A	37.50	Hi-Pressure Ga.	P, 14
RS-61	.99	11 1/2" Lg. Screwdriver	H, 12	T-809	1.70	Bushing Driver Collar	A, 35	Y2-A1	1.50	Reducing Bush.	P, 14
RS-62	.95	9 1/2" Lg. Screwdriver	H, 12	T-810	1.90	Bushing Driver Collar	A, 35	Y3-A	37.50	Hi-Pressure Ga.	P, 14
RS-63	.90	8 1/2" Lg. Screwdriver	H, 12	T-811	1.90	Bushing Driver Collar	A, 35	Y4-A	37.50	Hi-Pressure Ga.	P, 14
RS-64	.85	6 1/2" Lg. Screwdriver	H, 12	T-811-A	2.00	Bushing Driver Collar	A, 35	Y5-A	37.50	Hi-Pressure Ga.	P, 14
RS-81	1.15	11 1/2" Lg. Screwdriver	H, 12	T-818	17.35	Bushing Driver Set	A, 35	Y15-A	62.50	17 1/2-ton Hyd. Ram	P, 11
RS-82	1.10	9 1/2" Lg. Screwdriver	H, 12	T-10744-T	2.25	Lifting Eyebolt	A, 19	Y15-2C	2.95	Tapped Insert	P, 11
RS-83	1.05	7 3/4" Lg. Screwdriver	H, 12	TC-7	15.00	Thd. Chaser Set, 7	—	Y15-2D	2.95	Plain Insert	P, 11
RT-8	.60	Round Tip (No Guar)	—	TC-10	1.00	Dies in Case	—	Y15-12	7.90	Ram Screw	P, 11
RT-12	.70	Round Tip (No Guar)	—	TC-18	5.00	18" Handle for 8 Large Sizes	—	Y15-13	2.25	Adjusting Crank	P, 11
RT-24	.90	Round Tip (No Guar)	—	TC-20	2.00	5/8" Unit Chaser Die	—	Y15-14	4.50	Jack Screw	P, 11
S-8	.60	1/4" 8-Pt. Midget Skt.	H, 5	TC-24	2.00	3/4" Unit Chaser Die	—	Y16-A	62.50	Ram w/half Coupler	—
S-10	.60	5/16" 8-Pt. Midget Skt.	H, 5	TC-25	2.00	3/4"-20 U. Chaser Die	—	Y-17	118.75	Ram, Pump, Hose & Coupler	—
S-12	.60	3/8" 8-Pt. Midget Skt.	H, 5	TC-28	2.00	7/8" Unit Chaser Die	—	Y-17-A	118.75	Ram, Pump, Hose & Coupler	—
S-25 3/8	41.00	0 to 25 Ft. Lbs. P, 22 & A, 34	—	TC-29	2.00	7/8"-18 U. Chaser Die	—	Y-18	160.00	Y15-A & Y21-A	P, 11
S-25 1/2	41.00	0 to 25 Ft. Lbs. P, 22 & A, 34	—	TC-32	2.00	1" Unit Chaser Die	—	Y-18-A	160.00	Y-17 w/Gauge	—
S-50 3/8	42.50	0 to 50 Ft. Lbs. P, 22 & A, 34	—	TC-36	2.00	1 1/8" U. Chaser Die	—	Y19-1	81.60	Pump (Only)	P, 12
S-50 1/2	42.50	0 to 50 Ft. Lbs. P, 22 & A, 34	—	TC-40	2.00	1 1/4" U. Chaser Die	—	Y19-A	139.20	Pump-Hose-Ga.	P, 12
S-100	44.70	0 to 100 Ft. Lbs. P, 22 & A, 34	—	TC-48	2.00	1 1/2" U. Thd Chaser D	—	Y-20	146.35	Pump, Hose & Cplr.	—
S-114	1.05	7/16" 8-Pt. Socket	H, 5	TC-56	5.00	1 3/4" Chaser Die	—	Y20-1	130.00	Pump (Only)	P, 12
S-116	1.05	1/2" 8-Pt. Socket	H, 5	TC-58	5.00	1 1/2"-16 U. Chaser D	—	Y20-A	187.60	Pump-Hose-Ga.	P, 12
S-118	1.05	5/16" 8-Pt. Socket	H, 5	TC-64	5.00	2" Chaser Die	—	Y-21	56.25	Pump, Hose & Cplr.	—
S-120	1.15	3/8" 8-Pt. Socket	H, 5	TC-68	5.00	2 1/8"-16 Unit Die	—	Y21-1	39.90	Pump (Only)	P, 12
S-122	1.25	1 1/16" Socket 1/2" Dr.	—	TC-72	5.00	2 1/4"-16 Unit Die	—	Y21-2	11.85	6" Hose 3/8" NPT	P, 14
S-124	1.45	3/4" 8-Pt. Socket	H, 5	TC-73	5.00	2 1/4"-12 Unit Die	—	Y21-2A	15.50	8" Hose 3/8" NPT	P, 14
S-126	1.65	1 3/16" 8-Pt. Socket	H, 5	TC-76	5.00	2 3/8"-12 Unit Die	—	Y21-3	11.00	39" Hose 3/8" NPT	P, 14
S-128	1.75	7/8" 8-Pt. Socket	H, 5	TC-80	5.00	2 1/2"-12 Unit Die	—	Y21-4	9.10	30" Hose 3/8" NPT	P, 14
S-132	2.00	1" 8-Pt. Socket	H, 5	TC-81	5.00	2 1/2"-16 Unit Die	—	Y21-5	11.85	6" Hose 1/4" NPT	P, 10B
S-134	2.10	1 1/4" Socket 1/2" Dr.	—	TC-82	5.00	2 1/2"-16 Unit Die	—	Y21-6	4.95	2" Hose 3/8" NPT	P, 10B
S-150	52.78	0 to 150 Ft. Lbs. P, 22 & A, 34	—	TC-320	3.15	5/8" Track Bolt Skt.	—	Y21-A	97.50	Pump-Hose-Ga.	P, 12
S-200 1/2	68.75	0 to 200 Ft. Lbs. P, 22 & A, 34	—	TC-324	3.15	3/4" Track Bolt Skt.	—	Y-23	403.85	Electric Pump	—
S-200 3/4	68.75	0 to 200 Ft. Lbs. P, 22 & A, 34	—	TD-326	3.40	1 3/16" Track Bolt Skt.	—	Y23-1	387.50	Pump (Only)	P, 13
S-212	.90	3/8" Socket 3/8" Dr.	—	TD-328	3.40	7/8" Track Bolt Skt.	—	Y23-6	4.50	Extens. Tube	P, 14
S-214	.90	7/16" Socket 3/8" Dr.	—	TD-330	3.70	1 1/16" Track Bolt Skt.	—	Y23-6B	1.10	Extens. Tube	P, 14
S-216	.90	1/2" Socket 3/8" Dr.	—	TD-332	3.70	1" Track Bolt Skt.	—	Y23-6C	.60	Pipe Coupling	P, 14
S-300	91.67	0 to 300 Ft. Lbs. P, 22 & A, 34	—	TD-336	4.15	1 1/8" Track Bolt Skt.	—	Y23-6D	1.10	Extens. Tube	P, 14
S-300-1 3/8	41.00	0 to 300 In. Lbs. P, 22 & A, 34	—	TD-342	4.45	1 3/16" Track Bolt Skt.	—	Y23-7	4.50	Tee Connection	P, 14
S-300-1 1/2	41.00	0 to 300 In. Lbs. P, 22 & A, 34	—	TP-8	.70	1/4" Taper Punch	H, 13	Y23-A	455.60	Pump-Hose-Ga.	P, 13
S-600-1 3/8	42.50	0 to 600 In. Lbs. P, 22 & A, 34	—	TP-10	.75	5/16" Taper Punch	H, 13	Y23L-1	387.50	Pump (Only)	P, 13
S-600-1 1/2	42.50	0 to 600 In. Lbs. P, 22 & A, 34	—	TP-12	.85	3/8" Taper Punch	H, 13	Y23L-A	455.60	Pump-Hose-Ga.	P, 13
S-1200-I	44.70	0 to 1200 In. Lbs. P, 22 & A, 34	—	TP-16	1.25	1/2" Taper Punch	H, 13	Y-24	313.35	Pump, Hose & Cplr.	—
S-1800-I	52.78	0 to 1800 In. Lbs. P, 22 & A, 34	—	TP-20	1.65	5/8" Taper Punch	H, 13	Y24-1	297.00	Pump (Only)	P, 13
S-2400-1 1/2	68.75	0 to 2400 In. Lbs. P, 22 & A, 34	—	TP-24	2.15	3/4" Taper Punch	H, 13				
S-2400-1 3/4	68.75	0 to 2400 In. Lbs. P, 22 & A, 34	—	TP-24-L	4.25	3/4" Taper Punch	H, 13				
S-3600-I	91.67	0 to 3600 In. Lbs. P, 22 & A, 34	—	TP-25-L	8.35	Set in Plastic Roll	H, 13				
SF-180	50.10	Socket Set 1/2" Dr.	—	TP-25-L1	1.00	Plastic Roll	H, 13				

*SWDH	Prices on	Sledging Wr.	P, 18
*SWH	Application		
*SWO			




Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.	Tool No.	Users Price	Description	Name of Cat. and page No.
Y24-A	350.85	Pump-Hose-Ga.	P, 13	Y-306	29.90	V-Throat Plate	P, 17	Y1003-A	637.54	Y1000-A & Y20-A	P, 11
Y24G-1	330.00	Pump (Only)	P, 12	*Y-330	392.00	Press Frame	P, 17	Y-1100	280.35	Basic Sprocket Puller Unit	—
Y24G-A	383.75	Pump-Hose-Ga.	P, 12	*Y-330-A	700.20	30-ton Press	P, 17	Y1100-1	119.10	Puller Head	—
Y-25	8.95	3/8" Quick Coup.	P, 14	Y-379	29.90	"V" Block	P, 17	Y1100-2	24.75	Puller Leg Each	—
Y25-1	4.95	3/8" Half Coup.	P, 14	Y379-1	9.90	Pushing Adpt.	P, 17	Y-1100-2RH	29.90	Puller Leg (Each)	—
Y25-2	.95	3/8" Dust Cap	P, 14	Y-400	51.85	Valve Seat Insert Plr.	A, 33	Y-1100-2LH	29.90	Puller Leg (Each)	—
Y25-3	4.50	3/8" Half Coup.	P, 14	Y400-A	219.05	Hyd. Valve Seat Plr.	A, 33	Y1100-3	19.50	Puller Lug Each (3 Req.)	—
Y25-4	1.50	3/8" Dust Cap	P, 14	Y-403	13.60	Small Head Assem.	A, 33	Y1100-4	2.05	Leg Pin Each (6 Req.)	—
Y25-A	5.95	1/4" Mdg. Coup.	P, 10B	Y-404	14.65	Medium Head Assem.	A, 33	Y1100-5	.10	Cotter Pin Each (12 Req.)	—
Y25A-1	3.05	1/4" Ram 1/2 Coup.	P, 10B	Y-405	15.70	Large Head Assem.	A, 33	Y1100-6	1.10	Cap Sc. (2 Req.) Ea.	—
Y25A-2	.50	1/4" Dust Cap	P, 10B	Y-406	3.10	Special Box	A, 33	Y1100-7	1.25	Cap Sc. (2 Req.) Ea.	—
Y25A-3	3.05	1/4" Hose 1/2 Coup.	P, 10B	Y-407	2.00	1" N.C. Hex Nut	A, 33	Y1100-8	13.50	AC Adapters (2 Req.)	—
				Y-500	308.25	Cat 50-ton Group	A, 3	Y1100-9	13.50	AC Adapters (3 Req.)	—
				Y500-A	642.85	Cat Hyd. 50-ton Set	A, 3	Y1100-10	55.00	Leg End Adapt. and Nuts, Male 1 1/4" (Set of 3)	—
				Y500-1	46.75	Sprocket Puller Head	A, 3				
				Y500-2	10.45	Puller Leg, (3 Req.)	A, 3	Y1100-11	59.00	Spacer Adapt.	—
				Y500-3	15.50	Puller Lug, (3 Req.)	A, 3	Y1100-12	100.00	Sprocket Push. Tube	—
				Y500-4	9.90	Adapter Lug, (2 Req.)	A, 3	Y1100-13	21.00	Female Adapt.	—
				Y500-5	8.95	Adapter Lug, (3 Req.)	A, 3	Y-1101	448.50	Cat. 100-ton Group	A, 3
				Y500-6	1.60	Plr. Leg Pin, (6 Req.)	A, 3	Y1101-A	1186.59	Cat. 100-ton Hyd. Set	A, 3
				Y500-7	.10	Cotter Pin (12 Req.)	A, 3	Y-1102	416.85	I.H. 100-ton Group	A, 3
				Y500-8	8.95	Wheel Plr. Adapter	A, 3	Y1102-A	1150.24	I.H. 100-ton Hyd. Set	A, 3
				Y-501	271.90	I.H. 50-ton Group	A, 3	Y-1102-B	502.40	I.H. Sprocket P Grp.	—
				Y501-A	606.50	I.H. 50-ton Hyd. Set	A, 3	Y-1103	290.35	A.C. 100-ton Group	A, 3
				Y-502	136.55	A.C. 50-ton Group	A, 3	Y1103-A	993.89	A.C. 100-ton Hyd. Set	A, 3
				Y502-A	451.25	A.C. 50-ton Hyd. Set	A, 3	Y-1105	658.20	Univ. 100-ton Group	A, 3
				Y-505	452.65	Univ. 50-ton Group	A, 3	Y1105-A	1396.30	Univ. 100-ton Hyd. Set	A, 3
				Y505-A	787.25	Univ. 50-ton Hyd. Set	A, 3	*Y-1502	1802.25	50-Ton Press	P, 16
				Y-510	43.60	Sprocket Plr. Spacer	A, 3	*Y-1503	1170.50	Press Frame	P, 16
				Y-511	20.50	Install. Sleeve	A, 3	*Y-1505	450.00	Press Frame	P, 17
				Y-512	59.50	Install. Sleeve	A, 3	*Y1505-A	858.45	50-Ton Press	P, 17
				Y-513	9.90	Install. Adapter	A, 3	Y-1700	674.00	17 1/2-Ton Pul'r Set	P, 15
				Y513-1	5.75	Install. Driving Plug	A, 10	Y-1701	688.85	Hyd. Puller Set	A, 14
				Y-514	8.95	Install. Adapter	A, 3	Y-1702	792.70	Hyd. Puller Set	A, 21
				Y-515	8.95	Install. Adapter	A, 3	Y-1730	1294.75	17 1/2-30-Ton Set	P, 15
				Y-516	8.95	Install. Adapter	A, 3	Y-1735	2869.95	17 1/2-30-50-T'n'S't	P, 15
				Y-517	12.50	Install. Adapter	A, 3	Y-1750	1622.95	Hyd. Puller Set	A, 4
				Y-518	39.75	Puller Adapter	A, 3	Y-2101	136.50	Press Fixture (Pr.)	P, 16
				Y-519	57.00	Install. Adapter	A, 3	*Y-2102	3038.35	100-Ton Press	P, 16
				Y-520	39.75	Install. Adapter	A, 3	*Y-2103	2135.00	Press Frame	P, 16
				Y-521	52.50	Retainer Nut Wr.	A, 11	*Y-3100	380.58	I.H. Pivot Shaft Gr.	A, 11
				Y-523	52.50	Thread Chaser	A, 11	*Y3100-A	1018.12	Hyd. Pivot Shaft Set	A, 11
				Y-524	34.75	Thread Chaser	A, 11	*Y-6100	1131.85	Hydraulic Pump	P, 13
				Y-525	14.75	Replacer Adapter	A, 10	*Y6100-1	1115.50	Hydraulic Pump	P, 13
				Y-526	36.00	Axle Pulling Tube	A, 10	*Y-6150	1243.20	Hydraulic Pump	P, 13
				Y579-1	9.90	Pushing Adpt.	P, 17	*Y6150-1	1210.50	Hydraulic Pump	P, 13
				Y-650	225.00	Master-Pin Plr. Grp.	A, 3	*Y-6200	1161.85	Hydraulic Pump	P, 13
				Y650-A	539.70	Hyd. Master-Pin Set	A, 3	*Y6200-1	1145.50	Hydraulic Pump	P, 13
				Y-695	40.50	Int'l Pre-Cup Puller	—	*Y-6250	1282.70	Hydraulic Pump	P, 13
				Y695-1	14.50	Pulling Tube	A, 11	*Y6250-1	1250.00	Hydraulic Pump	P, 13
				Y695-2	6.50	Puller Screw	A, 11	YO-21	1.00	Hyd. Oil 1 Qt.	P, 14
				Y695-3	1.90	Forcing Nut	A, 11	YO-22	2.00	Hyd. Oil 1 Gal.	P, 14
				Y695-4	4.50	Expanding Screw	A, 11	YO-23	6.95	Hyd. Oil 5 Gal.	P, 14
				Y695-5	9.00	Expanding Adapter	A, 11	YO-24	3.00	Hyd. Oil, 1 Gal., 300 SSU at 100° F.	—
				Y695-6	9.00	Expanding Adapter	A, 11	YS-2	11.25	2-ton Hyd. Ram	P, 10A
				Y695-7	9.00	Expanding Adapter	A, 11	YS-2A	14.30	Ram w/coupler	P, 10A
				Y695-8	9.00	Expanding Adapter	A, 11	YS-4	19.50	4-ton Hyd. Ram	P, 10A
				Y-697	49.50	I.H. Pre-Cup Puller	A, 11	YS-4A	22.55	Ram w/coupler	P, 10A
				Y697-A	212.45	Y-697 W/Hydra.	A, 11	YS-5	25.50	4-ton Hyd. Ram	P, 10A
				Y-800	435.40	Equalizing Beam	A, 22	YS-5A	30.45	Ram w/coupler	P, 10A
				Y800-A	649.95	Press Group	A, 22	YS-7	28.50	7-ton Hyd. Ram	P, 10A
						Hyd. Equalizing Beam Press	A, 22	YS-7A	33.45	Ram w/coupler	P, 10A
				Y938-HY	49.90	Push-Pull. Ass'y.	P, 5	YS-10	28.95	10-ton Hyd. Ram	P, 10A
				Y938-HYD	122.55	Hyd. Push-Puller	P, 5	YS-10A	33.90	Ram w/coupler	P, 10A
				Y1000-A	449.95	100-ton Hyd. Ram	P, 11	YS-11	34.95	10-ton Hyd. Ram	P, 10A
				Y1000-2C	22.50	Tapped Insert	P, 11	YS-11A	39.90	Ram w/coupler	P, 10A
				Y1000-2D	22.50	Plain Insert	P, 11	YS-20	69.85	20-ton Hyd. Ram	P, 10A
				Y-1000-11	1.95	45° Male Adapt. Union	—	YS-20A	74.80	Ram w/coupler	P, 10A
				Y-1000-11A	4.50	1/4" ID Hose 8" Long	—	YS-21	108.00	20-ton Hyd. Ram	P, 10A
				Y1000-12	49.50	Adj. Screw	P, 11	YS-21A	112.95	Ram w/coupler	P, 10A
				Y1000-13	16.50	Speed Crank	P, 11	YS-50	142.50	50-ton Hyd. Ram	P, 10A
				Y1000-14	27.50	Jack Screw	P, 11	YS-50A	147.45	Ram w/coupler	P, 10A
				Y1000-15	21.50	Speed Nut	P, 11	Z-914	4.50	Adj. Span. Wr.	P, 20 & A, 5
Y-26	Please Secure Special Price Sheet			P, 13							
Y-27-1	24.75	Pedestal only	—								
Y28-1	24.75	Mgt. Hd. Pump	P, 10B								
Y28-A	39.65	Pump w/At.	P, 10B								
Y30-A	98.70	30-ton Hyd. Ram	P, 11								
Y30-2C	3.95	Tapped Insert	P, 11								
Y30-2D	3.95	Plain Insert	P, 11								
Y30-12	13.75	Ram Screw	P, 11								
Y30-13	4.50	Adj. Crank	P, 11								
Y30-14	6.75	Jack Screw	P, 11								
Y30-15	5.50	Speed Nut	P, 11								
Y-31-A	98.70	Ram w/half Coupler	—								
Y-32	154.95	Ram, Pump, Hose & Coupler	—								
Y-32-A	154.95	Ram, Pump, Hose & Coupler	—								
Y-33	196.20	Y30-A and Y21-A	P, 11								
Y-33-A	196.20	Y-32-A w/gauge	—								
Y-34-2	29.90	Upper Press Plate	—								
Y34-3	14.75	V-Throat Plate	P, 17								
Y-35	16.75	Lower Press Plate	—								
Y-35-1	8.75	Lower Press Plate Legs (Pr)	—								
Y-35-2	2.25	Keepers (Pr)	—								
Y50-A	186.70	50-ton Hyd. Ram	P, 11								
Y50-2C	8.90	Tapped Insert	P, 11								
Y50-2D	8.90	Plain Insert	P, 11								
Y50-12	24.75	Adj. Screw	P, 11								
Y50-13	5.75	Adj. Speed Nut	P, 11								
Y50-14	7.95	Jack Screw	P, 11								
Y50-15	11.00	Speed Nut	P, 11								
Y-51-A	186.70	Y-51 Ram w/Y25-1	—								
Y-52	242.95	Ram, Pump, Hose & Coupler	—								
Y-52-A	242.95	Ram, Pump, Hose & Coupler	—								
Y-53	284.20	Y50-A and Y21-A	P, 11								
Y-53-A	284.20	Power-Twin Unit w/gauge	—								
Y-79	11.90	V-Blocks (Pr.)	P, 17								
Y79-1	4.50	V-Pushing Adpt.	P, 17								
Y-80	101.65	Press Accessory Grp.	—								
Y-99	39.90	King Pin Pshr-Inst.	A, 23								
Y99-A	199.90	Hyd. King Pin Pshr.	A, 23								
*Y-100	84.50	Press Frame	P, 17								
*Y-100-A	254.65	17 1/2-ton Press	P, 17								
*Y-102	109.25	Press Frame	P, 17								
*Y102-A	279.40	17 1/2-ton Press	P, 17								
*Y104	94.50	Press Kit	P, 17								
*Y104-A	264.65	Press Kit w/hyd.	P, 17								
*Y-106	121.75	Press Frame	P, 17								
*Y106-A	291.90	17 1/2-ton Press	P, 17								
*Y-109	198.50	Press Frame	P, 17								
*Y109-A	368.65	17 1/2-ton Press	P, 17								
Y-150-A	251.70	Conversion Set	—								
Y-200-A	361.45	Hydr. Puller Set	—								
Y-255-A	563.60	Hydr. Puller Set	—								
Y-265-A	579.95	Hydr. Puller Set	—								

**NOTE: Please secure special detailed price and parts lists for ordering products in the following series: Y-360, Y-4400, Y-4600, and Y-5100, which are illustrated and described in separate, special bulletins.**




# PARTS

## TOOL NO. 400 & 401 (Page A, 27)




Part No.	Description	Users Price
400-1	Body.....	4.95
400-2	Driver.....	7.95
400-3	Collar.....	1.95
401-1	Body.....	4.95
401-2	Driver.....	7.95
401-3	Collar.....	1.95
401-4	Forcing Screw.....	1.95

## TOOL NO. 500 (Page A, 25)




Part No.	Description	Users Price
500-1	Guide Tube.....	1.95
500-2	Drive Shaft.....	1.95
500-3	Knob.....	1.00
500-3A	Set Screw.....	.15
500-4-1	Bit Head.....	1.20
500-4-A	Set Screw.....	.15
500-4-B	1/8" Hex Bit.....	.15
500-4-C	Screw Dr. Bit.....	.75

## TOOL NO. 501 (Page A, 24)




Part No.	Description	Users Price
501-1	Ratchet.....	1.80
501-2	Plate.....	.50
501-3	Screw.....	1.15
501-4	Pulling Nut.....	.40
501-5	Connector Nut.....	.35
501-6	Tension Nut.....	.10
501-7	Spring.....	.07
501-8	Cone.....	.25
501-9	Spring.....	.07
501-10	Large Jaw.....	1.60
501-11	Large Expander.....	1.00
501-12	Small Jaw.....	1.40
501-13	Small Expander.....	.85

## TOOL NOS. 515 and 515-A (Page P, 9 & A, 32)




Part No.	Description	Users Price
515-1	Cross Block.....	4.40
515-1S	Short Block.....	4.40
515-4	Cap Scws., 3/8" N.C. Pr.....	.40
515-DT	Cap Sc., 3/8"x6" (Pr).....	1.00
515-HC	Spec. Cap Screws Pr.....	.50
515-HF	Cap Scws., 3/8" x 4" Pr.....	.95
515-MH	Cap Sc., 7/16"x6" (Pr).....	.95
515-S	Forcing Screw, 13 3/4".....	2.25
515-T	Forcing Screw, 5 1/2".....	2.00

## TOOL NOS. 679 and 680 (Page P, 7)




Part No.	Description	Users Price
679-1	Block.....	4.00
679-2	Bolt.....	1.10
679-3	Nut.....	.10
680-1	Block.....	10.00
680-2	Bolt.....	3.25
680-3	Nut.....	.30

## TOOL NO. 822 (Page A, 27)



Part No.	Description	Users Price
822-1	Guide Bar.....	2.00
822-2	Guide Sleeve.....	2.00
822-3	Pilot .5885.....	.35
822-4	Pilot .612.....	.35
822-5	Pilot .668.....	.35
822-6	Pilot .749.....	.40
822-7	Pilot .786.....	.50
822-8	Pilot .808.....	.50
822-9	Pilot .984.....	.50

## TOOL NO. 827-B (Page A, 28)




Part No.	Description	Users Price
827-1	Puller Leg.....	3.95
827-2	Center Hub.....	3.95
827-3	Forcing Screw.....	3.95
827-A	Striking Wrench.....	3.10

## TOOL NOS. 833, 834, (Page H, 12)

Part No.	Description	Users Price
833-A	Magnetic Head Only.....	1.10
834-A	Magnetic Head Only.....	1.75

## TOOL NO. 835-S (Page P, 20 & H, 15)




Part No.	Description	Users Price
835-S-1	Handle Block.....	1.50
835-S-2	Lower Block.....	1.50
835-S-3	Clamp Bolt.....	.30
835-S-4	1/4"-24 Wing Nut.....	.25
835-S-5	Flaring Screw.....	1.00
835-S-6	Flaring Cone.....	.50
835-S-7	Flaring Clamp.....	1.90
835-S-8	Roll Pin.....	.15
835-S-9	1/4" Steel Ball.....	.10
835-S-10	Tee Bar.....	.20

## TOOL NO. 837, (Page H, 15)


Part No.	Description	Users Price
837-A	Cutter Wheel.....	.55

## TOOL NO. 838 (Page A, 24)



Part No.	Description	Users Price
838-A	1/2 Sq. Drive Shank.....	1.95
838-B	Plastic Handle.....	.75
838-C	Die Cast Knob.....	.75
838-D	1/2 Sq. Drive Retaining Ring.....	.10
838-E	Handle Shank Socket.....	.60
838-F	Handle Shank.....	.60
838-G	Screw Driver Shank.....	1.95
838-H	1/4 Series 2 Eaton Snap Rg.....	.25

## TOOL NO. 847-A (Page A, 35)



Part No.	Description	Users Price
847-A1	Frame.....	1.90
847-A2	Forcing Screw.....	.75
847-A3	Tee Bar.....	.20
847-A4	Nipple.....	.40

## TOOL NO. 849, 849-T (Page A, 25)

Part No.	Description	Users Price
849-1	Ring Comp. Band.....	.55
849-A	Key Wrench.....	.25
849-T1	Ring Comp. Band.....	.65




### TOOL NO. 850-T (Page A, 25)

Part No.	Description	Users Price
850-T1	Ring Comp. Band	.65
850-TA	Key Wrench	.50

### TOOL NO. 852 (Page P, 20)

Part No.	Description	Users Price
852-A	1/4" O.D. Tube Bender	.30
852-B	5/16" O.D. Tube Bender	.30
852-C	3/8" O.D. Tube Bender	.30
852-D	7/16" O.D. Tube Bender	.35
852-E	1/2" O.D. Tube Bender	.35
852-F	5/8" O.D. Tube Bender	.35

### TOOL NO. 853-A (Page A, 32)



Part No.	Description	Users Price
853-1	Forcing Screw	2.25
853-2	Screw Nipple	.50
853-3	Puller Arm	2.00
853-4	Center Hub	3.95
853-5	Large Ring	1.00
853-6	Small Ring	.75
853-7-8	Cap Screw and Nut	.15
853-B	Nipple	.50


### TOOL NO. 865-B (Page A, 35)

Part No.	Description	Users Price
865-A	Knurled Wheel (Old Style) (Not Guar.)	2.20
865-B1	Body	2.95
865-B2	Stud	2.00
865-B3	Knurled Wheel (Not Guar.)	2.20
865-B4	Adapter	.95

### TOOL NOS. 887 and 888 (Page P, 21 & H, 15)

Part No.	Description	Users Price
887-A	16" Chain Only	2.65
888-A	22" Chain Only	7.30


### TOOL NO. 897 (Page P, 21)



Part No.	Description	Users Price
897-1	V-Pad	3.50
897-2	Post	4.00
897-3	Screw	2.00
897-4 & 5	Knurled Handle	3.25
897-6	1/4" x 1/4" x 1 1/16" Steel Key	.15
897-7	#6 x 1/4" Dr. Scw. R.H.	.05
897-9	5/16" USS x 5/8" Hex Hd. Cap Screw	.10
897-10	5/16" SAE x 1 1/4" Hex Hd. Cap Screw	.15


Part No.	Description	Users Price
897-11	1/4" Dia. x 1" Lg. Roll Pin	.15
896-A	Die 8-10-12-14 Pitch	1.50
896-B	Die 16-18-20-24 Pitch	1.50
896-C	Die 11-11 1/2 Pitch	.75
896-E	Die 4-5 Pitch	.75
896-F	Die 6-7 Pitch	.75
896-G	Die 7 1/2-9 Pitch	.75
896-H	Washer 5/16" x 9/16" x 1/16"	.05

### TOOL NO. 898 (Page A, 35)




Part No.	Description	Users Price
898-1	5/16" x 1" Hex Hd. Cp. Sc.	.15
898-2	Frame	5.00
898-3	Forcing Screw	2.00
898-4	3/8" Pitch Die Body	4.75
898-5	3/8" Pitch Die Head	1.50
898-6	3/8" Pitch Die Pin	.25
898-7	1/2" Pitch Die Body	5.10
898-8	1/2" Pitch Die Head	1.75
898-9	1/2" Pitch Die Pin	.25
898-10	5/8" Pitch Die Body	5.40
898-11	5/8" Pitch Die Head	1.90
898-12	5/8" Pitch Die Pin	.25
898-13	3/4" Pitch Die Body	5.90
898-14	3/4" Pitch Die Head	2.25
898-15	3/4" Pitch Die Pin	.25

### TOOL NO. 915-A (Page A, 32)




Part No.	Description	Users Price
915-1	Body	2.45
915-2	Forcing Screw	1.70
915-3	Forcing Screw Collar	.50
915-4	Adapter (Buick)	1.10
915-5	Adapter (Chry. Products)	1.00

### TOOL NO. 921 (Page P, 9)



Part No.	Description	Users Price
921-1	Barrel	4.50
921-2	Bar	1.25
921-3	Expanding Collet	5.50
921-4	Collet Expander	1.25
921-5	7/8" N.F. Hex. Nut	.30

### PUSH PULLERS (Page P, 5)



### TOOL NO. 927 (Page P, 5)

Part No.	Description	Users Price
927-1	Cross Block	7.25
927-2	Forcing Screw	6.25
927-3	Forcing Nut	1.25
927-4	Thrust Washer	.50
927-5	Sliding Plate	1.25
927-6	Leg Washer	.35
927-7	Leg End	1.25
927-8	Leg Nut	.30
927-A	6 3/4" Legs (Pr.)	4.50
927-A-1	6 3/4" Leg (1 only)	2.25
927-B	15 3/4" Legs (Pr.)	6.50
927-B-1	15 3/4" Leg (1 only)	3.25
927-C	11 3/4" Legs (Pr.)	5.50
927-C-1	11 3/4" Leg (1 only)	2.75
927-D	4 3/4" Legs (Pr.)	4.50
927-D-1	4 3/4" Leg (1 only)	2.25

### TOOL NO. 938 (Page P, 5)

Part No.	Description	Users Price
930-1	Cross Block 10 1/2"	19.95
930-B	16 1/2" Legs (Pr.)	9.90
930-B-1	16 1/2" Leg (1 only)	4.95
930-C	22 1/2" Legs (Pr.)	10.90
930-C-1	22 1/2" Leg (1 only)	5.45
930-D	9 1/2" Legs (Pr.)	8.90
930-D-1	9 1/2" Leg (1 only)	4.45
930-E	4 1/2" Legs (Pr.)	7.90
930-E-1	4 1/2" Leg (1 only)	3.95
930-F	30" Legs (Pr.)	16.50
930-F-1	30" Leg (1 only)	8.25
938-1	Cross Block 13 1/2"	19.95
938-1A	Cross Blk. for Y15-A Ram	24.75
938-2	Forcing Screw	6.95
938-3	Forcing Nut	1.95
938-4	Thrust Washer	.60
938-5	Sliding Plate	1.00
938-6	Leg Washer	.45
938-7	Leg End	1.25
938-8	Leg Nut	.40
938-10	Ram Attaching Plate w/cap screws	2.95
Y938-1A	Two Way-Three Way Head	29.95
938P-1	Cross Block	22.50
938P-1A	Cross Blk for Y-30	24.75
938P-2	Forcing Screw	9.95
938P-3	Forcing Nut	2.95
938P-4	Thrust Washer	1.60
938P-5	Sliding Plate	1.95
938P-6	Leg Washer	.85
938P-7	Leg End	1.95
938P-8	Leg Nut	.50
938P-10	Ram Holding Plate w/cap screws	3.95
938P-12	Ram Attach. Screw (Pr)	1.60
938P-12A	Ram Attach. Screw	1.05

### TOOL NO. 938-J (Page A, 31)

Part No.	Description	Users Price
938-J1	Screw	4.95
970-C1	Swivel	3.95
938-F	Threaded Adapter	2.95
970-H1	3/4" N.C. Reg. Hex Nut	.60
970-J1	1/2"-20 x 1 1/8" N.F. Cp. Sc.	.75
970-K	1/2"-20 N.F. Hex Jam Nut	.15

### TOOL NO. 939 (Page P, 5)

Part No.	Description	Users Price
939-1	Cross Block	34.50




Part No.	Description	Users Price
<b>939-1A</b>	Cross Block for Y30-A Ram	38.50
<b>939-2</b>	Forcing Screw	14.50
<b>939-3</b>	Forcing Nut	4.95
<b>939-4</b>	Thrust Washer	1.95
<b>939-5</b>	Sliding Plate	2.95
<b>939-6</b>	Leg Washer	.95
<b>939-7</b>	Leg End	2.95
<b>939-8</b>	Leg Nut	.75
<b>939-10</b>	Ram Hdg. Pl. W/Cap Screws	3.50
<b>939-12</b>	Ram Attach. Screw (Pr)	1.60
<b>939-12A</b>	Ram Attach. Screws	1.05
<b>939-A</b>	8" Legs (Pair)	13.50
<b>939-A-1</b>	8" Leg (1 only)	6.75
<b>939-B</b>	18" Legs (Pair)	22.50
<b>939-B-1</b>	18" Leg (1 only)	11.25
<b>939-C</b>	28" Legs (Pair)	29.90
<b>939-C-1</b>	28" Leg (1 only)	14.95

#### TOOL NO. 939½ (Page P, 5)

Part No.	Description	Users Price
<b>939½-1A</b>	Cross Block	76.50
<b>939½-5</b>	Sliding Plate (Upper)	5.90
<b>939½-5A</b>	Sliding Plate (Lower)	5.90
<b>939½-8</b>	Hex Nut 1¼" N.F. Ea.	1.00
<b>939½-12</b>	Cap Scw. ¾" x 1½" Pr.	1.00
<b>939½-A</b>	24" Legs, Pr.	48.50
<b>939½-A-1</b>	24" Leg (1 Only)	24.25
<b>939½-B</b>	34" Legs, Pr.	63.50
<b>939½-B-1</b>	34" Leg (1 Only)	31.75

#### CUP PULLING ATTACHMENTS



#### TOOL NO. 943 (Page P, 8)

Part No.	Description	Users Price
<b>943-2</b>	Slotted Block	5.90
<b>943-3</b>	Adjusting Screw	1.95
<b>943-4</b>	Tapped Swivel	1.95
<b>943-5</b>	Plain Swivel	1.75
<b>943-6</b>	Collar	.75
<b>943-7</b>	Drive Screw	.05
<b>943-8-9</b>	Cap Screw & Nut	.35
<b>943-10</b>	Reducing Adapter	3.95
<b>943-15</b>	Swivel Adapter	5.95
<b>943-A1</b>	5½" Clearance Jaw (Ea.)	4.95
<b>943-A2</b>	Special Jaws (Ea.)	4.95
<b>943-B1</b>	4" Clearance Jaw (Ea.)	4.95
<b>943-C1</b>	2½" Clearance Jaw (Ea.)	4.95
<b>943-C2</b>	Short Pin.Arms for 943 (Ea.)	4.95


#### TOOL NO. 943-D (Page P, 8)

Part No.	Description	Users Price
<b>943D-1</b>	Puller Jaw Ea.	6.50
<b>943D-2</b>	Slotted Block	7.95
<b>943D-3</b>	Adjusting Screw	3.95
<b>943D-4</b>	Tapped Swivel	3.00
<b>943D-5</b>	Plain Swivel	2.00
<b>943D-6</b>	Collar	.85
<b>943D-7</b>	Drive Screw	.10
<b>943D-8-9</b>	Cap Screw and Nut	.40
<b>947-10</b>	Adapter	11.50
<b>943D-11</b>	¾" Hex Jam Nut	.10
<b>943D-16</b>	1¼" Adapter	7.95
<b>943-OT-1</b>	Spec. Oliver Jaws (Ea)	5.00

#### TOOL NO. 943-S (Page P, 9)

Part No.	Description	Users Price
<b>943-S1</b>	Shank	2.95
<b>943-S2</b>	Tee Bar	.35
<b>943-S3</b>	Sliding Weight	3.95

#### TOOL NO. 944-G (Page A, 27)




Part No.	Description	Users Price
<b>944-1A</b>	Wide Forged Jaw, Each	3.95
<b>944-1C</b>	Narrow Forged Jaw, Each	3.95
<b>944-2</b>	Cross Block	3.50
<b>944-3-4</b>	Cap Screw & Nut	.20
<b>944-5-6</b>	Clamping Screw & Nut	.35
<b>944-B1</b>	Pulling Bar	5.90
<b>944-B2</b>	Forcing Screw	2.00
<b>944-B3</b>	Forcing Screw Nut	1.00

#### TOOL NO. 947 (Page P, 8)

Part No.	Description	Users Price
<b>947-1</b>	Puller Jaw	9.95
<b>947-2</b>	Slotted Block	11.90
<b>947-3</b>	Adjusting Screw	4.95
<b>947-4</b>	Tapped Swivel	1.95
<b>947-5</b>	Plain Swivel	1.75
<b>947-6</b>	Collar	1.00
<b>947-7</b>	Drive Screw	.10
<b>947-8-9</b>	Cap Screw and Nut	.40
<b>947-10</b>	Adapter	11.50
<b>947-11</b>	Jam Nut ½" S.A.E.	.10
<b>947-15</b>	Adapter	11.50
<b>947-16</b>	Adapter	11.50

#### PULLING ATTACHMENTS



#### TOOL NO. 949½ (Page P, 7)

Part No.	Description	Users Price
<b>949½-1</b>	Block (Each)	2.30
<b>949½-3</b>	Bolt	.50
<b>949½-4</b>	Nut	.15

#### TOOL NO. 950 (Page P, 7)

Part No.	Description	Users Price
<b>950-1</b>	Block (Each)	2.95
<b>950-FA-1</b>	Bolt (Each)	3.95
<b>950-3</b>	Bolt	.95
<b>950-4</b>	Nut	.20

#### TOOL NO. 951 (Page P, 7)

Part No.	Description	Users Price
<b>951-1</b>	Block (Each)	5.95
<b>951-FA-1</b>	Bolt (Each)	6.95
<b>951-3</b>	Bolt	2.50
<b>951-4</b>	Nut	.25

#### TOOL NO. 952 (Page P, 7)

Part No.	Description	Users Price
<b>952-1</b>	Block (Each)	7.95
<b>952-3</b>	Bolt 9½" Long	2.95
<b>952-4</b>	Nut	.50

#### TOOL NO. 952-A (Page P, 7)

Part No.	Description	Users Price
<b>952A-1</b>	Block (Each)	7.95
<b>952A-3</b>	Bolt 13" Long	3.95
<b>952A-4</b>	Nut	.50

#### TOOL NO. 952-D (Page P, 7)

Part No.	Description	Users Price
<b>952D-1</b>	Block (Each)	13.50
<b>952D-3</b>	Bolt	4.95
<b>952D-4</b>	Nut	.50

#### TOOL NO. 953 (Page P, 7)

Part No.	Description	Users Price
<b>953-1</b>	Block (Each)	26.50
<b>953-3</b>	Bolt	8.95
<b>953-4</b>	Nut	1.00


#### TOOL NO. 953-C (Page P, 7)

Part No.	Description	Users Price
<b>953C-1</b>	Block (Each)	59.50
<b>953C-3</b>	Bolt 1½" Dia.	12.75
<b>953C-4</b>	Nut 1½" N.F.	2.95
<b>953C-5</b>	Pulling Tee	22.50

#### TOOL NO. 953-D (Page P, 7)


Part No.	Description	Users Price
<b>953D-1</b>	Block (Each)	79.95
<b>953D-3</b>	Bolt 1¾" Dia.	29.90
<b>953D-4</b>	Nut 1¾" N.F.	3.95
<b>953D-5</b>	Pulling Tee	24.75

#### TOOL NOS. 954, 954-B, 954-C (Page P, 9 & A, 32)



Part No.	Description	Users Price
<b>954-2</b>	Cross Block	1.95
<b>954-8</b>	Shank	1.95
<b>954-10</b>	Hammer	2.25
<b>954-12</b>	Adjusting Nut	.10
<b>955-3-4</b>	Cap Screw and Nut	.10
<b>955-11</b>	Adjusting Bar	1.00
<b>955-13</b>	Forged Jaw, Each	1.75
<b>955-14</b>	Special Jaw, Each	2.00
<b>956-A-13</b>	Jaw, ⅝" to 2" Cap., Ea.	1.75


#### TOOL NO. 960 (Page P, 9 & A, 32)



Part No.	Description	Users Price
<b>960-1</b>	Jaw, Each	2.00
<b>960-2</b>	2 Way Head	2.00
<b>960-3</b>	3 Way Head	3.95
<b>960-4</b>	Cone	2.95
<b>960-5 &amp; 6</b>	Cap Screw & Nut	.25
<b>943S-1</b>	Shank	2.95
<b>943S-2</b>	Tee Bar	.35
<b>943S-3</b>	Hammer	3.95




**TOOL NO. 962, 963, 964 (Page A, 28)**




Part No.	Description	Users Price
962-1	Block	6.95
962-2 & 3	Bolt & Nut	1.95
963-1	Block	6.95
964-1	Block	6.95

**TOOL NO. 970 (Page A, 31)**




Part No.	Description	Users Price
970-A	Three-Way Head	9.90
970-B1	33" Forcing Screw 1"-14 Thread	9.90
970-B2	32" Forcing Screw 1"-8 Thread	9.90
970-C1	Swivel	3.95
970-D	Riser Blocks, 4 1/2", Each	2.00
970-D2	Set of Riser Blocks 11" (3)	7.95
970-D3	Set 13" Riser Blocks (3)	8.95
970-D4	Set of Riser Blocks 15" (3)	8.95
970-DC	4 1/2" Long Riser Blocks (3)	7.95
970-E	1" N.F. Hex Nut	2.00
970-E1	1" N.C. 2 1/4" Hex Nut	3.00
970-E2	1" N.C. 1 1/2" Hex Nut	2.00
970-F	Thrust Bearing	2.00
970-G	Thrust Washer	1.00
970-H1	3/4" N.C. Hex Nut	.60
970-J1	Cap Screw 1/2"-20	.75
970-K	1/2" N.F. Hex Nut	.15
970-L	Cap Screw 1/2"-13	.35
970-M	Wrought Washer	.10
970-N	1" N.C. Reg. Hex Nut	2.95
970-P	Handle for "CAT"	3.50

**TOOL NO. 970-FT (Page A, 15)**




Part No.	Description	Users Price
970-2FC	Adapter Plate	3.25
970-5FC	Adapter Plate	3.95
970-8F	Pulling Plate	4.50
970-E2	Forcing Nut	2.00
970-F	Bearing	2.00
970-G	Washer	1.00
970-H1	Hex Nut	.60
973-1	Screw	8.95
973-FT-1	Adapter for Old Tractor	7.50
973-FT-1A	Adapter for New Tractor	7.50
973-FT-1B	Adapter	8.50
973-FT-2	Puller Tube	7.90
973-FT-2A	Puller Tube	8.90
973-FT-2B	Pulling Tube	9.90
973-FT-3	Cross Bar	9.90

**TOOL NO. 973 (Page A, 31)**




Part No.	Description	Users Price
970-A	3 Way Nut	9.90
970-D3	13" Riser Block Set (3)	8.95
970-L	Hex Hd. Cap Screw	.35
970-M	Wrought Washer	.10
973-1	32" Forcing Screw	8.95
973-2	Forcing Screw Extension	5.90
973-3	Adapter	5.90
973-4	Installing V Bar Saddle	3.50
973-5	Saddle Hinge Pin	1.25
973-6	Installing Bar	10.90
973-8	1" N.C. Speed Nut Wr.	4.25
973-10	1" N.C. Full Hex Nut	.60
970-C1	Swivel	3.95
973-11	Swivel Adapter	5.90
970-J1	Special Cap Screw	.75
970-H1	3/4" Reg. Hex Steel Nut	.60
970-K	1/2" N.F. Jam Hex Nut	.15

**TOOL NO. 973-R (Page A, 31)**




Part No.	Description	Users Price
973-3	Adapter	5.90
973-4	Saddle	3.50
973-5 & 5B	Pin W/2 Cotter Pins	1.25

**TOOL NO. 973-S (Page A, 31)**




Part No.	Description	Users Price
973-11	Swivel Adapter	5.90
970-C1	Swivel	3.95
970-H1	3/4" N.C. Hex Nut	.60
970-J1	Cap Screw 1/2"-20 x 1 1/4" N.F.	.75
970-K	1/2"-20 Jam Nut	.15

**TOOL NO. 975-B (Page A, 30)**



Part No.	Description	Users Price
975-1	Three Way Head	27.50
975-2	Forcing Screw	18.90
975-3	Swivel Adapter	7.95
975-4	Swivel	10.50
975-5	1 1/4" N.C. Nut	2.70
975-6	3/4" Bolt N.F. x 2 7/8"	1.95
975-7	3/4" Jam Nut	.25
975-8	Riser (Each)	11.70
975-9	Cap Screw 1/2" N.C. x 2 3/4"	.15
975-10	1/2" Wrought Washer	.10
975-11	1 1/4" Safety Nut	2.00
975-D	Set of 3 Risers Complete	35.80
975-S	Swivel Assembly	23.10
Y30-15	Speed Nut	5.50

**GRIP-O-MATIC PULLERS (Page P, 3)**




**TOOL NOS. 1001, 1001-L, 1011-A, 1011A-L**

Part No.	Description	Users Price
1001-1	Reversible Arm, Ea.	2.50
1001L-1	Long Arm, Ea.	2.50
1001-2	Forged Head	2.50
1011-2	Three-Way Head	3.95
1011A-2	Two Way-Three Way	5.95
1001-3	Forcing Screw	1.95
1001-4	Strap	.25
1001-5-6	Cap Screw & Nut	.20

**TOOL NOS. 1002, 1002-L, 1012-A, 1012A-L**

Part No.	Description	Users Price
1002-1	Reversible Arm, Ea.	5.90
1002L-1	Long Arm, Ea.	5.90
1002-2	Standard Head	4.95
1012-2	Three-Way Head	6.95
1012A-2	2 Way-3 Way Head	9.90
1002-3	Forcing Screw	3.75
1002-4	Strap	.45
1002-5-6	Cap Screw & Nut	.30



**TOOL NOS. 1000, 1010**

Part No.	Description	Users Price
1000-1	Single End Arm, Ea.	1.50
1000-2	Standard Head	1.50
1010-2	3 Way Head	2.95
1000-3	Forcing Screw	1.00
1000-4	Strap	.20
1000-5-6	Cap Screw & Nut	.10

**TOOL NOS. 1000 1/2-L, 1010 1/2-L**

Part No.	Description	Users Price
1000 1/2-L1	Single End Arm, Ea.	1.95
1000 1/2-L2	Standard Head	1.95
1010 1/2-L2	3 Way Head	3.95
1000 1/2-L3	Forcing Screw	1.25
1000 1/2-L4	Strap	.25
1000 1/2-L5-6	Cap Screw & Nut	.10



**TOOL NOS. 1003, 1013-A, 1013A-L, 1003-L**

Part No.	Description	Users Price
1003-1	Arm, Single End, Ea.	6.95
1003-L1	Long Arm, Ea.	8.90
1003-2	Standard Head	6.95
1013-2	Three-Way Head	10.95
1013-2H	Three-Way Head for 17½ Ton Ram	21.95
1013A-2	2 Way-3 Way Head	14.90
1003-3	Forcing Screw	6.95
1003-4	Strap	1.00
1003-5-6	Cap Screw & Nut	.50

**TOOL NOS. 1003½, 1003½-L, 1013½, 1013½-L**

Part No.	Description	Users Price
1003½-1	Single End Arm, Ea.	10.50
1003½-L1	Long Arm, Ea.	14.50
1003½-2	Standard Head	9.90
1003½-2H	Puller Head for Y15-A Ram	18.50
1013½-2	Three Way Head	24.50
1013½-2H	3 Way Head for 17½-ton Ram	32.50
1003½-3	Forcing Screw	8.90
1003½-4	Strap	1.95
1003½-5-6	Cap Screw & Nut	.65

**TOOL NOS. 1004, 1004-L, 1014, 1014-L**

Part No.	Description	Users Price
1004-1	Single End Arm, Ea.	15.95
1004-L1	Long Arm, Ea.	18.50
1004-2	Standard Head	15.95
1014-2	3 Way Head	24.75
1014-2H	3 Way Head for 30-ton Ram	37.50
1004-3	Forcing Screw	12.95
1004-4	Strap	2.20
1004-5-6	Cap Screw & Nut	.60

**TOOL NOS. 1005, 1005-L, 1015, 1015-L**

Part No.	Description	Users Price
1005-1	Puller Arm, Ea.	24.50
1005-L1	Long Puller Arm, Ea.	32.50
1005-2	Standard Head	19.90
1005-2H	Puller Head for Y30-A Ram	29.90
1015-2	3 Way Head	28.50
1015-2H	3 Way Head for 30-ton Ram	55.00
1005-3	Forcing Screw	19.95
1005-4	Strap	2.95
1005-5-6	Cap Screw & Nut	1.95

**TOOL NOS. 1006, 1006-L, 1016, 1016-L**

Part No.	Description	Users Price
1006-1	Puller Arm, Ea.	39.90
1006-L1	Long Puller Arm, Ea.	56.50
1006-2	Standard Head	44.00
1006-2H	Puller Head for 50-ton Ram	49.00
1016-2	3 Way Head	48.50
1016-2H	3 Way Head for 50-ton Ram	68.00
1006-3	Forcing Screw	44.00
1006-4	Strap	5.00
1006-5-6	Cap Screw & Nut	2.50

**TOOL NO. 1017-Y (Page P, 3)**

Part No.	Description	Users Price
1017-1	Puller Arm, Each	145.00
1017-2H	Head	160.00
1017-4	Strap	21.00
1017-4A-1	Lock & Strap Ass'y.	40.00
1017-4A-2	Lock & Strap Ass'y.	40.00
1017-4A-3	Cap Screw ¾" N.C. x 1½"	.25
1017-5	Spec. Screw 1½" N.F. x 5"	5.00
1017-6	Hex Nut 1½"-12	1.25
1017-7	Lock Slot	7.50
1017-8	Lift Tee	15.00

Part No.	Description	Users Price
1017-9	Cap Screw ⅝"-11 x 3" x 1¼"	.25
1017-10	⅝" Lock Washer	.06
1017-11	¾" x 2½" Cap Screw	1.25
1017-12	¾" x 2¾" Cap Screw	1.25


**TOOL NO. 1201 (Not Illustrated)**

Part No.	Description	Users Price
1201-1A	Inner Skt. 1⅜" & ⅞"	5.95
1201-1B	28" Bar	2.95
1201-2	Outer Socket	14.95
1201-3	Yoke Support	4.95
1201-3C	Washer	.10
1201-3D	Drive Screw	.03
1201-4	Outdb. Jack Support	8.95
1201-4A	Support Tube	1.50
1201-4B	Tube Cap	1.50
1201-4C	Spring Retainer	.60
1201-4D	Coil Spring	.25
1201-4E	Cam Lock	.50
1201-4F	Foot Plate	.40
1201-4G	Drive Screw	.03
1201-4H	Drive Screw	.03
1201-5A	1-¾" Box Wrench	4.95
1201-5B	36" Bar	4.95
1201-6	1-½"x¾" Sq. Adap.	2.95

**TOOL NO. A-10 (Page A, 5)**

Part No.	Description	Users Price
A-10-2	Removable Tangs	1.60

**TOOL NO. AC-6 (Page A, 15)**



Part No.	Description	Users Price
AC-6-1	Pulling Sleeve	2.90
AC-6-2	Pulling Screw	4.95
AC-6-3	Forcing Nut	.50


**TOOL NO. AC-43**

Part No.	Description	Users Price
AC-43-1	Plate	2.35
AC-43-2	Plate	2.35
AC-43-3	3⅝"-24 x ¾" Cap Screw	.40

**TOOL NO. AC-515 (Page A, 8)**

See No. "515"

**TOOL NO. AC-970 (Page A, 6)**




Part No.	Description	Users Price
AC-970-A	Locking Bar	5.90
AC-970-B	Block	4.95
AC-970-B1	¼" N.C. x ½" Thm. Sc.	.25
AC-970-B2	Shoulder Socket Hd. Sc.	.25
AC-970-C	Extension Bar	3.95
AC-970-C1	¼" N.C. x ½" Thm. Sc.	.25
AC-970-D	Scriber	1.00
AC-970-E	Torch Tip Holder	5.00
AC-970-F1	Floor Jack Base (3)	1.50
AC-970-F2	Floor Jack Base (3)	1.50
AC-970-F3	Floor Jack Screw (3)	1.50

**TOOL NO. CF-71 (Page A, 26)**

Part No.	Description	Users Price
CF-71-1	Gauge Plate	1.25


Part No.	Description	Users Price
CF-71-2	Pressure Pad	.60
CF-71-3	Yoke	.50
CF-71-4	Female Handle	1.65
CF-71-5	Male Handle	1.65
CF-71-6	Wave Washer	.10

**TOOL NO. CT-683 (Page A, 10)**




Part No.	Description	Users Price
CT-683-1	Handle (Only)	5.95
CT-683-2	Compressing Yoke	3.00
CT-683-3	¼" x ¾" Rivet	.10
CT-683-4	Swivel	1.00
CT-683-5	¼" x 1¾" Rivet	.10
CT-683-6	Double-End Adapter	2.00

**TOOL NO. CT-685 (Page P, 20 & A, 5)**




Part No.	Description	Users Price
CT-685-1	Forged Handle	6.90
CT-685-2	Jaw, ⅜" Thick	5.90
CT-685-3	Jaw, ¼" Thick	8.50
CT-685-4	Pivot Pin Assembly	1.95
CT-685-4A	Pivot Pin Body	1.00
CT-685-4B	Pivot Pin Screw	.85
CT-685-4C	Pivot Pin Washer	.35

**TOOL NO. CT-686 (Page P, 20 & A, 5)**



Part No.	Description	Users Price
CT-686-1	Forged Handle	22.50
CT-686-2	Bolt	1.00
CT-686-3	Jaw, ¾" Thick	8.50

**ADJUSTABLE WRENCHES, (Page H, 10)**




Part No.	Description	Users Price
DA4-1	Movable Jaw	.90
DA4-2	Spring	.10
DA4-3	Pin	.10
DA4-4	Knurled Screw	.30
DA4-5	Forged Handle	1.25
DA6-1	Movable Jaw	.90
DA6-2	Spring	.10
DA6-3	Pin	.10
DA6-4	Knurled Screw	.30
DA6-5	Forged Handle	1.25
DA8-1	Movable Jaw	.95
DA8-2	Spring	.10
DA8-3	Pin	.10
DA8-4	Knurled Screw	.40
DA8-5	Forged Handle	1.60
DA10-1	Movable Jaw	1.10
DA10-2	Spring	.10
DA10-3	Pin	.10
DA10-4	Knurled Screw	.45
DA10-5	Forged Handle	2.15
DA12-1	Movable Jaw	1.70
DA12-2	Spring	.10
DA12-3	Pin	.25




Part No.	Description	Users Price
DA12-4	Knurled Screw	.65
DA12-5	Forged Handle	2.95
DA15-1	Movable Jaw	2.50
DA15-2	Spring	.10
DA15-3	Pin	.30
DA15-4	Knurled Screw	.95
DA15-5	Forged Handle	5.50
DA18-1	Movable Jaw	2.75
DA18-2	Spring	.10
DA18-3	Pin	.30
DA18-4	Knurled Screw	.95
DA18-5	Forged Handle	11.00

#### TOOL NO. FT-499 (Page H, 15)



Part No.	Description	Users Price
FT-499-1	Collet	6.00
FT-499-2	Collet Expander	3.00
FT-499-3	3/4" N.C. Hex Nut	.10
FT-499-4	Spacer Tube	1.00
FT-499-5	Adapter	2.00
FT-499-6	3/4" N.F. Hex Nut	.20

#### REVERSIBLE RATCHETS, (Page H, 3)




Part No.	Description	Users Price
H-63-1	Handle	2.95
H-63-2	Gear Hub	.90
H-63-3R	Right Hand Dog	.40
H-63-3L	Left Hand Dog	.40
H-63-4	Dog Spring	.10
H-63-5&6	Reverse Assembly	.50
H-63-7	Cover	.65
H-63-8	Cover Screw	.10
H-163A-1	Handle	5.90
H-163A-2	Gear Hub	1.50
H-163A-3R	Right Hand Dog	.50
H-163A-3L	Left Hand Dog	.50
H-163A-4	Dog Spring	.10
H-163A-5&6	Reverse Assembly	.65
H-163A-7	Cover	.75
H-163A-8	Cover Screw	.10
H-263A-1	Handle	4.95
H-263A-2	Gear Hubs	1.50
H-263A-3R	Right Hand Dog	.45
H-263A-3L	Left Hand Dog	.45
H-263A-4	Dog Spring	.10
H-263A-5&6	Reverse Assembly	.60
H-263A-7	Cover	.65
H-263A-8	Cover Screw	.10
H-363A-1	Handle	13.00
H-363A-2	Gear Hub	4.00
H-363A-3R	Right Hand Dog	1.25
H-363A-3L	Left Hand Dog	1.25
H-363A-4	Dog Spring	.15
H-363A-5&6	Reverse Assembly	1.25
H-363A-7	Cover	1.00
H-363A-8	Cover Screw	.25

#### TOOL NO. H-300-R, (Page H, 3)

Part No.	Description	Users Price
H-63-2	Hub (2 Req'd.)	.90
H-63-3R	R. H. Dog (3 Req'd.)	.40
H-63-3L	L. H. Dog (3 Req'd.)	.40


Part No.	Description	Users Price
H-63-4	Spring (6 Req'd.)	.10
H-63-5&6	Rev. Assem. (3 Req'd.)	.50
H-63-7	Cover (3 Req'd.)	.65
H-63-8	Screws (6 Req'd.)	.10
H-63-R	Repair Kit (3 Req'd.)	2.35
H-163A-2	Hub (2 Req'd.)	1.50
H-163A-3R	R. H. Dog (3 Req'd.)	.50
H-163A-3L	L. H. Dog (3 Req'd.)	.50
H-163A-4	Spring (6 Req'd.)	.10
H-163A-5&6	Rev. Assem. (3 Req'd.)	.65
H-163A-7	Cover (3 Req'd.)	.75
H-163A-8	Screws (6 Req'd.)	.10
H-163A-R	Repair Kit (3 Req'd.)	2.80
H-263A-2	Hub (2 Req'd.)	1.50
H-263A-3R	R. H. Dog (3 Req'd.)	.45
H-263A-3L	L. H. Dog (3 Req'd.)	.45
H-263A-4	Spring (6 Req'd.)	.10
H-263A-5&6	Rev. Assem. (3 Req'd.)	.60
H-263A-7	Cover (3 Req'd.)	.65
H-263A-8	Screws (6 Req'd.)	.10
H-263A-R	Repair Kit (3 Req'd.)	2.55
H-363A-3R	R. H. Dog (2 Req'd.)	1.25
H-363A-3L	L. H. Dog (2 Req'd.)	1.25
H-363A-4	Spring (4 Req'd.)	.15
H-363A-5&6	Rev. Assem. (2 Req'd.)	1.25
H-363A-7	Cover (2 Req'd.)	1.00
H-363A-8	Screws (4 Req'd.)	.25
H-363A-R	Repair Kit (2 Req'd.)	5.55
DA-13-B	Box	2.35

#### FLEX. HANDLES, (Page H, 3)




Part No.	Description	Users Price
H-75-1	Handle	1.75
H-75-2	Drive Plug	.60
H-75-3	Rivet	.10
H-75-4	Compression Plug	.20
H-75-5	Plug Spring	.05
H-176-1	Handle	4.50
H-176-2	Drive Plug	1.50
H-176-3	Rivet	.10
H-176-4	Compression Plug	.20
H-176-5	Plug Spring	.05
H-177-1	Handle	5.00
H-177-2	Drive Plug	1.00
H-177-3	Rivet	.10
H-177-4	Compression Plug	.20
H-177-5	Plug Spring	.05
H-275-1	Handle	3.00
H-275-2	Drive Plug	1.00
H-275-3	Rivet	.10
H-275-4	Compression Plug	.20
H-275-5	Plug Spring	.05
H-377-1	Handle	8.00
H-377-2	Drive Plug	2.50
H-377-3	Rivet	.10
H-377-4	Compression Plug	.25
H-377-5	Plug Spring	.05

#### TOOL NO. HC-80 (Page A, 15)




Part No.	Description	Users Price
HC-80-1	Shank (Not Guar.)	3.00
HC-80-3	1/4"-20 N.C. Nut	.05
HC-80-4	Cotter Pin	.05

#### TOOL NO. HC-642 (Page A, 23)




Part No.	Description	Users Price
HC-642-1	Puller Arm	2.25
HC-642-2	Cross Block	4.40
HC-642-3	Puller Screw	2.25
HC-642-4	Shaft Protector	1.00
HC-642-5	Retaining Ring	.40
HC-642-6-7	Cap Screw and Nut (Ea.)	.20
HC-642-8	Tie Bolt	.15
HC-642-9	Wing Nut	.06
HC-642-10	Drive Pin	.06
HC-642-11	Chain	.30
HC-642-A	Shaft Protector	.50

#### TOOL NO. HC-689 (Page A, 11)



Part No.	Description	Users Price
927	Push-Puller Less Leg Ends	21.50
515-1S	Special Cross Block	4.40
515-HC	3/8" x 24 x 3 1/2" Cap Screw (Pair)	.50
HC-689-1	Special Leg Ends (Pr.)	3.00
927-D	Legs	4.50

#### TOOL NO. JD-5 (Page A, 17)




Part No.	Description	Users Price
JD-5-1	Guide Tube	1.00
JD-5-2	Dr. Shaft & Cable Ass'y.	1.75
JD-5-4	Head	1.25
500-3	Knob	1.00
500-3A	Set Screw	.15

#### TOOL NO. JD-80 (Page A, 9)

Part No.	Description	Users Price
JD-80-1	Shank (Not Guar.)	3.00
JD-80-2	Hammer	1.00
JD-80-3	1/4"-20 N.C. Nut	.05
JD-80-4	Cotter Pin	.05




### TOOL NO. JD-96 (Page A, 16)



Part No.	Description	Users Price
JD-96-1	Cross Bar	5.90
JD-96-2	Screw	5.90
JD-96-3	Adapter	5.90
JD-96-4	Adapter	5.90
JD-96-5	Adapter	5.90
JD-96-6	3/4" N.C. Hex Nut	1.00
JD-96-7	Washer	.25

### TORQUE WRENCH TUBULAR ADAPTER ARMS (Page P, 19 & A, 34)




### TOOL NOS. M-28-18, M-28-24, M-28-30, M-28-60

Part No.	Description	Users Price
M-28-18-A	18" Tubular Hdle. Only	5.90
M-28-24-A	24" Tubular Hdle. Only	6.90
M-28-30-A	30" Tubular Hdle. Only	7.90
M-28-60-A	60" Tubular Hdle. Only	18.50
MS-24-AS	3/4" Sq. Dr. Box Wr.	5.90
MS-24-AT	1/2" Sq. Dr. Box Wr.	5.90

### TOOL NOS. M-32-24, M-32-30, M-32-60


Part No.	Description	Users Price
M-32-24A	24" Tubular Hdle. Only	7.90
M-32-30A	30" Tubular Hdle. Only	10.90
M-32-60A	60" Tubular Hdle. Only	22.50
MS-52-AS	3/4" Sq. Dr. Box Wr.	10.90

### TOOL NO. MD-955 & MD-956 (Page A, 32)




Part No.	Description	Users Price
954-2	Cross Block	1.95
955-3 & 4	Cap Screw & Nut	.10
955-11	Adjusting Yoke	1.00
955-12	1/2" Hex Jam Nut	.10
955-13	Jaw, 1/2" to 1 1/2" Capacity (Each)	1.75
955-14	Special Jaw (Each)	2.00
956-A-13	Jaw, 3/8" to 2" Capacity (Each)	1.75
MD956-B1	Puller Bridge	4.95
MD956-B2	Forcing Screw	1.75
MD956-B3	Washer	.60
MD956-B4	1/2"-20 Hex Nut	1.00

### TOOL NO. MT-8 (Page A, 32)



Part No.	Description	Users Price
MT-8-1	Puller Arm (Not Guar.)	2.50
MT-8-2	Cross Block	2.00
MT-8-3	Forcing Screw	2.00
MT-8-4	Nut	.10
MT-8-5	Washer	.10


### "SLIM-TWINS" (Page P, 21 & H, 15)



### TOOL NOS. OA-24, OA-24-B, OA-36 (Page P, 21 & H, 15)


Part No.	Description	Users Price
OA-24-1	Forged Handle	26.50
OA-24-2	Mvbl. Jaw 1 3/8" to 2 7/8"	9.90
OA-24-2A	Adj. Jaw 1 7/8" to 2 1/4"	9.90
OA-24-3-4	Special Bolt and Nut	1.50
OA-36-1	Forged Handle	47.50
OA-36-2	Adjustable Jaw	22.50
OA-36-3-4	Bolt and Nut	2.00

### TOOL NOS. P-61, P-61-A (Page P, 19 & H, 3)



Part No.	Description	Users Price
P-61-1	Body for P-61	12.50
P-61-1A	Body for P-61-A	12.50
P-61-2	Ratchet Hub	6.50
P-61-3	Reversing Lever	2.95
P-61-3A	Snap Ring	.25
P-61-4	Pin	1.00
P-61-5	Snap Ring	.25
P-61-6	3/4" Plug for P-61	3.95
P-61-6A	3/4" Plug for P-61-A	3.95
P-61-10	1" Plug for P-61	4.95
P-61-10A	1" Plug for P-61-A	4.95
P-61-16	Spring	.25
P-61-48-1	Plug	.10
P-61-48-2	Spring	.10

### HYDRAULIC RAMS (Page P, 11)



### TOOL NO. Y15-A

Part No.	Description	Users Price
Y-15-1	Body	25.00
Y-15-2B	Basic Cross Head	9.90
Y-15-2C	Tapped Insert	2.95
Y-15-2D	Plain Insert	2.95
Y-15-2E	Set Screw	.10
Y-15-3	Ram Piston	5.95
Y-15-3A	Piston O Ring	.60
Y-15-4	Piston Cup, 1 1/2"	2.50
Y-15-5	Follower Plate	1.00
Y-15-6	3/8" N.F. Hex Hd. Steel Reg. Nuts	.15
Y-15-7	1/2" N.F. Hex Hd. Steel Jam Nuts	.15
Y-15-8	Ram Return Spring	1.25
Y-15-8A	Rivet	.15
Y-15-8B	Nut	.20
Y-15-8C	Cap Screw	.10
Y-15-8X	Old Style Hook Sprg.	1.10
Y-15-9	3/8" Pipe Nipple	.50
Y-15-10	Cylinder Cap	3.90
Y-15-10A	Felt Wiper Washer	.10
Y-15-17A	Name Plate	.25
Y-15-17B	Drive Screw	.06

### TOOL NO. Y30-A

Part No.	Description	Users Price
Y-30-1	Body	50.00
Y-30-2B	Basic Cross Head	9.90
Y-30-2C	Tapped Insert	3.95
Y-30-2D	Plain Insert	3.95
Y-30-2E	Set Screw	.15
Y-30-3	Ram Piston	9.90
Y-30-3A	Piston O Ring	1.00
Y-30-4	Piston Cup, 2"	3.95
Y-30-5	Follower Plate	1.95
Y-30-6	1/2" N.F. Hex Hd. Steel Jam Nuts	.15
Y-30-7	5/8" N.F. Hex Hd. Steel Jam Nuts	.15
Y-30-8	Ram Return Spring	1.40
Y-30-8A	Rivet	.20
Y-30-8B	Nut	.20
Y-30-8C	Cap Screw	.15
Y-30-8X	Old Style Hook Sprg.	1.25
Y-30-10	Cylinder Cap	3.95
Y-30-10A	Felt Wiper Washer	.10
Y-30-17A	Name Plate	.30
Y-30-17B	Drive Screw	.10

### TOOL NO. Y50-A


Part No.	Description	Users Price
Y-50-1	Body Casting	75.00
Y-50-2B	Basic Cross Head	20.00
Y-50-2C	Tapped Insert	8.90
Y-50-2D	Plain Insert	8.90
Y-50-2E	Set Screw	.20
Y-50-3	Piston	19.95
Y-50-3A	Piston O Ring	1.25
Y-50-4	Piston Cup	4.95
Y-50-5	Piston Follower Plate	2.95
Y-50-6	5/8" N.F. Hex Head Steel Nut	.20
Y-50-7	3/4" N.F. Hex Head Steel Nut	.25
Y-50-8	Ram Return Spring	2.95
Y-50-8A	Rivet	.30
Y-50-8B	Nut	.30
Y-50-8C	Cap Screw	.35
Y-50-8X	Old Style Hook Sprg.	2.80
Y-50-10	Cylinder Cap	6.90
Y-50-10A	Felt Wiper Washer	.30
Y-50-17A	Name Plate	.25
Y-50-17B	Drive Screw	.10



### TOOL NO. Y1000-A


Part No.	Description	Users Price
Y-1000-1	Body Casting	185.00
Y-1000-2B	Basic Cross Head	47.50
Y-1000-2C	Tapped Insert	22.50
Y-1000-2D	Plain Insert	22.50
Y-1000-2E	Set Screw	.35
Y-1000-3	Piston	49.50
Y-1000-3A	Piston O Ring	2.00
Y-1000-4	Piston Cup	7.50
Y-1000-5	Piston Follower Plate	7.00
Y-1000-6	Cap Screw $\frac{5}{16}$ " N.C. x $\frac{3}{4}$ " Allen Hd.	.50
Y-1000-7	Hex Nut $1\frac{1}{8}$ "-12 N.F.	.75
Y-1000-8	Ram Return Spring	3.95
Y-1000-8A	Lower Spring Stud	1.00
Y-1000-8B	Upper Spring Stud	1.00
Y-1000-9	Lifting Eye Bolt	1.50
Y-1000-10	Cylinder Cap	12.00
Y-1000-10A	Felt Wiper Washer	.25

### TOOL NO. Y-99 (Page A, 23)




Part No.	Description	Users Price
Y-99-1	Ram Support Plate	9.90
Y-99-2	Leg (2 Req'd.)	3.10
Y-99-3	Truck Adapter Plate	9.90
Y-99-4	Ford Car Adapter Plate	10.90
Y-99-5	Reducing Bushing	1.90
Y-99-6	Adjusting Screw	4.15
Y-99-7	Short Forcing Pin	1.25
Y-99-8	Long Forcing Pin	1.95
Y-99-9	Guide Plate	1.95
Y-99-10	$\frac{5}{8}$ "-18 Hex Nut	.15

### TOOL NO. Y-400 (Page A, 33)




Part No.	Description	Users Price
Y-401	Pulling Screw	2.95
Y-402	Puller Bridge	4.95
Y-403-1	Body	5.95
Y-403-2	Puller Fingers (3 Req.) Ea.	1.95
Y-403-3	Cap Screw (3 Req.) Ea.	.05
Y-403-4	Gauge Ring	1.95
Y-403-5	Set Screw	.05
Y-403-6	Steel Ball	.10
Y-404-1	Plastic Plug	.03
Y-404-1	Body	6.95
Y-404-2	Puller Fingers (3 Req.) Ea.	1.95
Y-404-3	Cap Screw (3 Req.) Ea.	.05
Y-404-4	Gauge Ring	1.95
Y-404-5	Set Screw	.05
Y-404-6	Steel Ball	.10
Y-405-1	Body	7.95
Y-405-2	Puller Fingers (3 Req.) Ea.	1.95
Y-405-3	Cap Screw (3 Req.) Ea.	.05
Y-405-4	Gauge Ring	1.95
Y-405-5	Set Screw	.05
Y-405-6	Steel Ball	.10

### TOOL NO. Y-650 (Page A, 3)



Part No.	Description	Users Price
Y-650-1	Pusher Head	57.95
Y-650-2	Pusher Legs (Pr.)	39.80
Y-650-2C	$1\frac{1}{4}$ " N.F. Hex Nut (4 Req.)	.75
Y-650-3	Pusher Base	61.50
Y-650-4	1" Dia. Pin	4.50
Y-650-5	$1\frac{3}{8}$ " Dia. Pin	5.95
Y-650-6	Adapter	7.95
Y-650-7	$1\frac{1}{2}$ " Bushing	5.50
Y-650-8	$1\frac{1}{2}$ " Bushing	5.50
Y-650-9	$1\frac{1}{2}$ " Bushing	5.50
Y-650-10	$1\frac{1}{2}$ " Bushing	5.50
Y-650-11	$1\frac{1}{2}$ " Bushing	5.50
Y-650-12	$1\frac{1}{2}$ " Bushing	5.50
Y-650-13	$\frac{5}{8}$ " x $1\frac{1}{4}$ " N.F. Cp. Sc. (2)	.50
Y-650-16	Complete Ram Screw Guide Bar	18.50
Y-650-16A	Split Bar	8.90
Y-650-16B	$\frac{3}{8}$ " x 3" Cap Screw (2)	.50
Y-650-16C	$\frac{3}{8}$ " Reg. Nut (2)	.20
Y-650-16D	Split Collet	3.00

### TOOL NO. Y-695, Y-697 (Page A, 11)




Part No.	Description	Users Price
Y-695-1	Tube	14.50
Y-695-2	Forcing Screw	6.50
Y-695-3	Forcing Screw Nut	1.90
Y-695-4	Expanding Screw	4.50
Y-695-5	Expanding Collet	9.00
Y-695-6	Expanding Collet	9.00
Y-695-7	Expanding Collet	9.00
Y-695-8	Expanding Collet	9.00

### TOOL NO. Y-800 (Page A, 22)

Part No.	Description	Users Price
Y-800-1	Press Frame W/casters	295.00
Y-800-2	Back-up Plate	24.75
Y-800-3	Back-up Plate	24.75
Y-800-4	Pushing Tube	16.75
Y-800-5	Pushing Tube	16.75
Y-800-6	Installing Clamp Ass'y.	37.50
Y-800-9	Pushing Adapter	19.90

### TOOL NO. Y-3100 (Page A, 11)




Part No.	Description	Users Price
Y-3100-1	Adapter Tube	43.00
Y-3100-2	Adapter Tube	51.00
Y-3100-3	Adapter Ring	23.50
Y-3100-4	Pulling Screw	17.16
Y-3100-5	Pulling Screw Ext.	16.34
Y-3100-6	Speed Nut	9.80
Y-3100-7	Coupler	6.66
Y-3100-8	Connector Set	20.58
Y-3100-9	Connector Set	22.80
Y-3100-10	Connector Set	27.80
Y-3100-11	Connector Set	36.00
Y-3100-12	Mounting Plate	48.60
Y-3100-13	Support Saddle	15.00
Y-3100-14A	12" Spacer	5.60
Y-3100-14B	16" Spacer	10.74
Y-3100-14C	16 $\frac{3}{4}$ " Spacer	11.38
Y-3100-14D	Spacer Wedge	4.62
Y-3100-15	Support Legs (2)	3.00
Y-3100-16	$\frac{3}{4}$ " x $2\frac{3}{4}$ " Cap Screw (2)	1.00
Y-3100-17	$\frac{3}{4}$ " x 2" Cap Screw (2)	1.00



UNITED STATES GOVERNMENT  
OFFICE OF THE SECRETARY OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
WASHINGTON, D. C. 20540


TO: [illegible]  
FROM: [illegible]  
SUBJECT: [illegible]

[illegible text continues]




[illegible text continues]

[illegible text continues]



[illegible text continues]

[illegible text continues]



[illegible text continues]







# ALPHABETICAL INDEX

CATALOG KEY: P—"INDUSTRIAL MAINTENANCE EQUIPMENT" CATALOG  
A—"CARS-TRUCKS-TRACTORS" CATALOG  
H—"HAND TOOLS" CATALOG

Tool Name/Subject	Name of Catalog and Page No.	Tool Name/Subject	Name of Catalog and Page No.	Tool Name/Subject	Name of Catalog and Page No.
Adapters (puller), threaded & step plate	P, 6	Hydraulic puller set (farm)	A, 14	<b>Rams</b> , hydraulic	P, 10-11, 10A
Adapters, socket	H, 4-5	Hydraulic puller set (truck/bus)	A, 21	Ratchet box wrenches	H, 10
Allis-Chalmers (farm) tools	A, 15	Hydraulic puller set (industrial)	P, 15	Ratchet handles	H, 3
Allis-Chalmers (industrial) tools	A, 2, 6-9, 26	Hub puller	A, 28	Ratchet, push-puller	H, 3 & P, 19
Adjustable wrenches	H, 10	Ignition wrenches	H, 8	Rear axle tools (auto-truck)	A, 22, 28
Adjustable wrenches, giant	H, 15 & P, 21	International Harvester (farm) tools	A, 15	Re-threading tools	P, 21 & A, 26
Allen wrenches	H, 10	International Harvester (industrial) tools	A, 2, 11	Reversible ratchets	H, 3
Ball-joint suspension tools	A, 23	International Harvester (truck) tools	A, 22, 26	Ring compressors	A, 25, 33
Battery terminal puller	A, 35	<b>John Deere</b> tools	A, 16-19	Ring groove cleaners	A, 33
Box wrenches	H, 9-10	<b>King</b> pin pusher	A, 23	Roller-chain separator tool	A, 35
Box wrenches, heavy duty	H, 9 & P, 19	<b>LeTourneau-Westinghouse</b> tools	A, 12-13	<b>Screwdrivers</b>	H, 12
Boxes, tool (chests)	H, 2	<b>Magnetic</b> tools	H, 12	Screwdriver attachments	H, 4
Bushing driver sets	A, 35	Massey-Ferguson tools	A, 20	Screw extractors	H, 15
Brake adjusting tools	A, 29	Minneapolis-Moline tools	A, 20, 26	Screw starters	H, 12
Caster and camber wrenches	A, 23	<b>Obstruction</b> wrenches	H, 8	Set screw wrenches	H, 10
Caterpillar tools	A, 2, 10	Open-end wrenches	H, 8	Shaft protectors	P, 6
"C" clamps, valve lifters	A, 24, 33	<b>Phillips</b> head screwdriver	H, 12	Shock link, tie rod separator	A, 23
Chain wrenches	P, 21 & H, 15	Phillips head screwdriver attach.	H, 4	Sledging/striking wrenches	P, 18
Chain (roller) separator tool	A, 35	Pilot bearing puller	P, 9	Sleeve pullers	A, 15, 30-31
Chasers, spark plug hole	A, 26	Pinion puller	A, 27	Snap ring tools	A, 27, 35
Chasers, thread	P, 21	Pipe flaring tool	P, 21	Sockets and socket adapters	H, 4-5
Chests, tool	H, 2	Pipe wrenches, chain	P, 21	Socket handles	H, 3
Chisels	H, 13	Piston ring compressors	A, 25, 33	Socket sets	H, 6
Chrysler cars service tools	A, 23, 25, 29	Piston ring groove cleaners	A, 33	Spanner wrenches	P, 20 & A, 5
Clutch and transmission tools	A, 27	Piston ring pliers	A, 17, 25	Spark plug gapping tool	A, 26
Combination wrenches	H, 8	Pitman arm tools	A, 22-23	Spark plug hole thread chaser	A, 26
Compressors; valve spring, ring	A, 24-25	Pliers	H, 11	Spark plug sockets	H, 4-5
Conveyor roll bearing puller	P, 9	Pliers, piston ring	A, 17, 25	Speedometer cable wrench (truck)	A, 29
Cutters and pliers	H, 11	Pliers, snap-ring/spreading	A, 25, 27, 35	Spring tester	P, 22 & A, 34
Cutter, tubing	P, 20 & H, 15	<b>Presses</b> , hydraulic shop forcing	P, 16-17	Sprocket pullers (tractor)	A, 2-3
Cylinders, rams, hydraulic	P, 10-11, 10A	Presses, truck equalizer beam	A, 22	Steering wheel pullers	A, 32
Cylinder sleeve pullers	A, 30	Pry bars	P, 20 & H, 13	Step plate adapters	P, 6
Deglazing tools	A, 26	<b>Puller</b> adapters (threaded, step plate)	P, 6	<b>Tappet</b> wrenches	H, 8
Distributor and generator tools	A, 25	Puller attachments (bearing, cup)	P, 7	Thickness gauges	H, 14
<b>Engineer's</b> wrenches	P, 18	Pullers, automotive set	A, 21	Thread chasers	P, 21 & A, 26
Extractors, screw	H, 15	Pullers, battery terminal	A, 35	Tool chests, cabinets	H, 2 & 2A
<b>Fafnir</b> bearing attachments	A, 20	Pullers, bearing	P, 2-9	Tool sets	H, 7
Feeler gauges	H, 14	Pullers, bearing cup	P, 8-9	Torque wrenches and extensions	P, 22 & A, 34
Flare-nut wrenches	H, 10	Pullers, conveyor roll bearing	P, 9	Track master pin pusher	A, 3
Flaring tools	P, 20 & H, 15	Pullers, cylinder sleeve	A, 15, 30-31	Transmission and clutch tools	A, 27
Flex handles	H, 3	Pullers, gear	P, 2-9	Truck equalizing beam service press	A, 22
Flex wrenches	H, 10	Pullers, Grip-O-Matic	P, 2-3	Tube flaring, cutting tools	P, 20 & H, 15
Ford tractor service tools	A, 15	Pullers, hub, universal	A, 28	<b>Valve</b> guide drivers	A, 33
Ford truck service tools	A, 28	Pullers, king pin	A, 23	Valves, hydraulic control	P, 14
Ford car service tools	A, 23-28	Pullers, master pin (track)	A, 3	Valve lifters, "C" clamps	A, 24, 33
Front-end (auto) tools	A, 22-23	Pullers, pitman arm	A, 22-23	Valve lifter puller	A, 24
<b>Gauges</b> , hydraulic pressure	P, 14	Pullers, pinion	A, 27	Valve seat puller-installer	A, 33
Gauges, thickness	H, 14	Pullers, Push-Puller	P, 4-5	"Walking beam" (truck) service press	A, 22
GM cars service tools	A, 23, 25-29	Pullers, set (automotive)	A, 21	Wheel puller, universal	A, 28
<b>Hack</b> saws	H, 15	Pullers, set (construction)	A, 4	Wrenches, adjustable	H, 10
Hammers	H, 15	Pullers, set (farm)	A, 14	Wrenches, giant adjustable	H, 15
Head bolt wrenches	A, 26	Pullers, set (industrial)	P, 15	Wrenches, box	H, 9-10
Head gasket aligning set	A, 26	Pullers, sheave attachment	P, 7	Wrenches, chain	H, 15 & P, 21
Hendrickson truck equalizing beam service press	A, 22	Pullers, sleeve, cylinder	A, 15, 30-31	Wrenches, combination	H, 8
Hollow punches	A, 35	Pullers, slide hammer	P, 9 & A, 32	Wrenches, engineer's	P, 18
Hose, hydraulic	P, 14	Pullers, sprocket	A, 2-3	Wrenches, flare-nut	H, 10
Hydraulic accessories	P, 14	Pullers, steering wheel	A, 32	Wrenches, flex-head	H, 10
Hydraulic couplings	P, 14	Pullers, pulley	P, 9 & A, 32	Wrenches, ignition	H, 8
Hydraulic cylinders/rams	P, 10-11 & 10A	<b>Pumps</b> , hydraulic	P, 12-13, 10B	Wrenches, obstruction	H, 8
Hydraulic gauges	P, 14	Pump, accessories	P, 14	Wrenches, open-end	H, 8
Hydraulic oil	P, 14	Punches	H, 13	Wrenches, set screw	H, 10
Hydraulic presses, forcing	P, 16-17	Punch (hollow) sets	A, 35	Wrenches, sledging/striking	P, 18
Hydraulic pullers	P, 2-5	Push-Pullers	P, 4-5	Wrenches, spanner, heavy duty	P, 20 & A, 5
Hydraulic puller set (construc. equip.)	A, 4	Push-Puller ratchet	P, 19 & H, 3	Wrenches, socket	H, 4-5
				Wrenches, tappet	H, 8
				Wrenches, torque	P, 22 & A, 34